



U.S. AIR FORCE

## MEDICAL STANDARDS DIRECTORY (MSD)

This document reflects the current medical standards for retention, flying classes, and special operational duty for the USAF. These are the standards referenced in AFI 48-123 and are reviewed annually (at a minimum) through the Medical Standards Working Group. The Chief of Physical Standards Development at the Air Force Medical Readiness Agency is the MAJCOM/SGP point of contact for any updates. If a service member does not meet applicable medical standards, refer to AFI 48-123 for AF required actions.

To refer to a medical standard use “MSD, DATE OF MSD, SECTION LINE”. For example, when referencing Celiac Disease in a Narrative Summary, use “MSD, 13 May 2020, I51”.

When a line is deleted in the MSD, it will remain in the MSD with a line through it annotating that the standard no longer exists for 1 year. After 1 year, the line will be removed. Removed items will be kept on document on the KX for the field to view for historical perspective, but the standard will no longer apply.

For the purpose of Aeromedical Waiver submissions, if there is an applicable chapter in the Aeromedical Waiver Guide ([AMWG](#)) then a “See AMWG” link may be in the comments section. Always check the appropriate Waiver Guide before submitting a waiver package as it is a guide for how to apply current Aeromedical Standards and prepare Aeromedical Waivers. If you have any additional questions, contact your MAJCOM/SGP Office.

Changes that were in the May 2020 MSD are highlighted in yellow. A35 – controlled medications; C8 – Intraocular Pressure; C33 – Keratorefractive surgery; E2 – and E3 – Larynx; G26 – Pulmonary Embolus; H48 – Deep venous thrombosis; and H49 – Pulmonary Embolus; I10 – Peptic Ulcer; J9 – History of renal colic; J10 –

Incidentally discovered renal stone; L22 and L23 – Sleep disorders; M15 – Hyperthyroid Treatment; M17 – Subclinical hyperthyroidism; M31 – Exogenous Hormone Treatment; T1, T4 – Height and sitting height standards; T2 – SWA height standards; Q34 – Gender Dysphoria.  
(Deleted H48, H49.)

The Knowledge Exchange can be found at [Knowledge Exchange](#).



U.S. AIR FORCE

## Table of Contents

[Section A: Systemic and other Diseases USAF Medical Standards](#)

[Section B: Head and Neck USAF Medical Standards](#)

[Section C: Eyes and Vision USAF Medical Standards](#)

[Section D: Ears and Hearing USAF Medical Standards](#)

[Section E: Larynx, Nose, Pharynx, and Trachea USAF Medical Standards](#)

[Section F: Dental USAF Medical Standards](#)

[Section G: Chest Wall and Pulmonology USAF Medical Standards](#)

[Section H: Heart and Vascular USAF Medical Standards](#)

[Section I: Abdominal and Gastrointestinal USAF Medical Standards](#)

[Section J: Genitourinary & Gynecology USAF Medical Standards](#)

[Section K: Spine and Extremity USAF Medical Standards](#)

[Section L: Neurologic USAF Medical Standards](#)

[Section M: Endocrinology and Metabolic USAF Medical Standards](#)

[Section N: Blood, Blood Forming and Tissue USAF Medical Serial Profile Annotation](#)

[Section O: Tumors and Malignancies USAF Medical Standards](#)

[Section P: Skin USAF Medical Standards](#)

[Section Q: Psychiatry and Mental Health USAF Medical Standards](#)

[Section R: USAF Medical Serial Profile Annotation](#)

[Section S: USAF Medical Standards for SERE](#)

[Section T: USAF Medical Standards for Weight and Anthropometrics](#)

[Section U: Small Unmanned Aircraft System Operator USAF Medical Standards](#)

[Section V: USAF Specific Deployment Standards](#)

## Section A: Systemic and other Diseases USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

		“X” = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Systemic and Other Disqualifying Conditions</b> (See AFI 48-123 Chapter 5 for General Items that are also applied)										
A1	Anaphylaxis*: Any recurrent, generalized, systemic reaction with or without an identified cause that induces cardiovascular, pulmonary, or GI symptoms.	X	X	X	X	X	X	X	X	*Anaphylaxis to food, venom, medications do not apply.
A2	Any allergic condition which requires desensitization therapy.		X	X	X				X	<a href="#">See AMWG</a>
A3	Allergic manifestations: A reliable history of generalized reaction with anaphylaxis to common foods (the eight common foods as per FDA: Milk, Eggs, Wheat, Soy, Peanut, Tree nuts, Shellfish, or Fish), spices or food additives. A reliable history to stinging insect venom manifested by venom anaphylaxis.		X	X	X	X	X	X	X	
A4	History of food-induced anaphylaxis.		X	X	X				X	<a href="#">See AMWG</a>
A5	HIV seropositivity, confirmed. Immunodeficiency, primary or acquired, including HIV. See <a href="#">AFI 44-178, Human Immunodeficiency Virus Program</a> for information on this program.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
A6	Complications or residual of sexually transmitted disease, of such chronicity or degree of severity the individual is incapable of performing flying or AFSC duty.	X	X	X	X	X	X	X	X	
A7	Syphilis, congenital or acquired. Note: A history of primary or secondary syphilis is not disqualifying provided: the examinee has no symptoms of disease, there are no signs of active disease, and no residual thereof. Serologic Venereal Disease Research Laboratory (VDRL) testing rules out reinfection. There is a verified history of adequate treatment. There is no evidence or history of CNS involvement.		X	X	X				X	
A8	Tuberculosis, generalized.	X	X	X	X	X	X	X	X	<a href="#">See G1-G5</a>
A9	Amyloidosis, generalized.	X	X	X	X	X	X	X	X	
A10	Dermatomyositis complex.	X	X	X	X	X	X	X	X	
A11	Polymyositis complex.	X	X	X	X	X	X	X	X	
A12	Leprosy, any type.	X	X	X	X	X	X	X	X	
A13	Lupus erythematosus	X	X	X	X	X	X	X	X	
A14	Sarcoidosis	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
A15	Myasthenia gravis.	X	X	X	X	X	X	X	X	
A16	Mycoses, active, not responsive to therapy, or requiring prolonged treatment, or when complicated by disqualifying residuals.	X	X	X	X	X	X	X	X	
A17	Panniculitis, relapsing, febrile, nodular.	X	X	X	X	X	X	X	X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Systemic and Other Disqualifying Conditions</b> (See AFI 48-123 Chapter 5 for General Items that are also applied)										
A18	Scleroderma, generalized or of the linear type which seriously interferes with the function of an extremity or body area involved or progressive systemic sclerosis including CREST Syndrome (calcinosis, Raynaud's phenomenon, esophageal hypomotility, sclerodactyly, and telangiectasia).	X	X	X	X	X	X	X	X	
A19	Other autoimmune disease requiring immunomodulating medications.	X	X	X	X	X	X	X	X	
A20	Eosinophilic granuloma.		X	X	X				X	
A21	Gaucher's disease.		X	X	X				X	
A22	Schuller-Christian disease.		X	X	X				X	
A23	Letterer-Siwe's disease.		X	X	X				X	
A24	Chronic metallic poisoning.		X	X	X				X	
A25	Residual of cold injury, such as deep-seated ache, paresthesia, hyperhidrosis, easily traumatized skin, cyanosis, ankylosis, amputation of any digit, or cold urticaria.		X	X	X				X	
A26	Heat pyrexia (heat stroke or heat exhaustion) if a reliable history indicates an abnormally lowered heat tolerance threshold.		X	X	X				X	
A27	History of malignant hyperthermia.	X	X	X	X	X	X	X	X	
A28	Parasitic infestation, all types until adequately treated.		X	X	X				X	
A29	Other congenital or acquired abnormalities, defects or diseases which preclude satisfactory performance of flying duty.		X	X	X				X	
A30	Motion sickness experienced in aircraft, automobiles, or watercraft after the age of 12 with any significant frequency. Any history of motion sickness is completely explored.		X						X	Refer to Airsickness Management Program IAW <a href="#">AETCI 48-102</a> for service members in UFT. <a href="#">See AMWG</a>
A31	Airsickness with medical evidence of organic or psychiatric pathology.			X	X				X	
A32	Hemochromatosis.	X	X	X	X	X	X	X	X	See <a href="#">I18</a> . <a href="#">See AMWG</a>
A33	Inflammatory idiopathic diseases of connective tissues.		X	X	X	X				
A34	Exacerbation of any medical condition for which a waiver has been granted.		X	X	X	X	X		X	
A35	Any condition that requires any chronic controlled medications, schedule II-IV, for greater than 90 days, excluding for ADHD treatment and hypogonadism treatment for retention purposes. (Waiver for ADHD medications and testosterone still needed for flying/special operations duties.)	X	X	X	X	X	X	X	X	See M31 <a href="#">Q7</a> , <a href="#">Q8</a> Modified 15 May 2020
A36	Any implantable device, used for long term (≥ 1 year) treatment of an underlying disease/condition, which may restrict deployment.	X	X	X	X	X	X	X	X	
A37	Any disease or condition that causes chronic or recurrent disability for duty assignment or has the potential of being exacerbated by the hyperbaric environment or diving duty is disqualifying.								X*	*Does not apply to SERE, TACP, ALO

[RETURN TO TABLE OF CONTENTS](#)

## Section B: Head and Neck USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).

Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).

SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Head and Neck Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
B1	The loss of substance of the skull with or without prosthetic replacement accompanied by residual signs or symptoms that preclude satisfactory performance of duty or unrestricted station assignability.	X	X	X	X	X	X	X	X	(Also See <a href="#">Neuro</a> section for TBI)
B2	An unprotected skull defect 3 centimeter (cm) in diameter or larger.	X	X	X	X	X	X	X	X	
B3	Loss, defect, or congenital absence of bony substance of the skull, regardless of cause		X	X	X				X	
B4	Uncorrected deformities of the skull, face, or mandible of a degree that would prevent the individual from wearing a protective mask or military headgear		X	X	X				X	
B5	Multiple fractures involving skull or face		X	X	X				X	
B6	Congenital cysts of branchial cleft origin or those developing from the remains of a thyroglossal duct, with or without fistulous tracts, that persist to adulthood or cannot be surgically repaired		X	X	X				X	
B7	Chronic draining fistulae of the neck, regardless of cause.		X	X	X				X	
B8	Contractions of the muscles of the neck if persistent or chronic, to the extent that it interferes with the proper wearing of a uniform or military equipment, or is disfiguring to the extent that it interferes with or prevents satisfactory performance of military duty		X	X	X				X	
B9	Symptomatic cervical ribs.		X	X	X				X	
B10	Any anatomic or functional anomaly of head or neck structures, which interfere with normal speech, ventilation of the middle ear, breathing, mastication, swallowing, or wear of aviation or other military equipment.		X	X	X				X	

[RETURN TO TABLE OF CONTENTS](#)

## Section C: Eyes and Vision USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).									
Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).									
SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. <a href="#">SSR PAGE</a>									
Eyes and Vision Disqualifying Conditions	"X" = Standard applies								Comments
	Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Controller (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Eyes and Vision</b>									
C1	Any disease, injury, infection process, or sequelae involving the eye that is resistant to treatment and/or results in: Distant visual acuity that cannot be corrected to the retention vision standards listed in Item C2, and/or a central field of vision defect, in the better eye, that reduces the field of view less than 20 degrees from fixation in any direction.	X	X	X	X	X	X	X	X
C2	Vision Standards. Retention standards for distant visual acuity, regardless of cause that cannot be corrected to at least numbers below. For Flying and SOD See <a href="#">Table One</a> .								<b>FOR FLYING AND SPECIAL OPERATIONAL DUTY VISION STANDARDS See <a href="#">TABLE ONE</a> AT END OF SECTION.</b> *See <a href="#">Note 10</a> in Table One
	Better Eye								
	Worse Eye								
	20/20								
	20/30								
	20/40								
20/50									
20/60									
C3	Pterygium which encroaches on the cornea more than 3 mm or interferes with vision, or is progressive, or causes refractive problems.	X	X	X	X	X	X	X	X
C4	Current aphakia or current or history of dislocation of a lens.	X	X	X	X	X	X	X	
C5	Deficient night vision, as determined by history, of such a degree that the member requires assistance in travel at night.	X	X	X*	X*	X*	X*	X*	X
C6	Glaucoma with demonstrable changes in the optic disc or visual fields or not amenable to treatment.	X	X	X	X	X	X	X	X
C7	Glaucoma. As evidenced by intraocular pressure of 30 mmHg or greater by applanation tonometry, secondary change in the optic disc, and/or visual field defect associated with glaucoma. Note: Pigmentary dispersion syndrome (PDS) is not medically disqualifying for flying unless associated with elevated intraocular pressures 22 mmHg or greater by applanation tonometry (Initial Flying Class applicants only).		X	X	X	X			X
C8	Ocular hypertension (Preglaucoma). Two or more applanation tonometry measurements of 22 mmHg or greater, but less than 30 mmHg, or 4 mmHg or more difference between the two eyes. Note: <b>Abnormal Pressures greater than 21 mmHg</b> obtained by a noncontact (air puff) tonometer or Schiøtz must be verified by applanation tonometry. For initial applicants with an		X*	X*	X*	X*			X
									* Disqualifying only for INITIAL not trained See <a href="#">AMWG</a> . Modified 15 May 2020

		“X” = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Controller (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Eyes and Vision Disqualifying Conditions</b>										
	elevated IOP measuring between 21 and 22 and less than or equal to 26, AND a corneal thickness of greater than 540 um, this is considered within standards.									
C9	Enucleated eye or absence of an eye	X	X	X	X	X	X	X	X	
C10	Vision correctable only by the use of bilateral contact lenses or uncommon corrective devices, (e.g. telescopic lenses).	X	X	X	X	X	X	X	X	
C11	Aniseikonia when incapacitating signs or symptoms exist that are not easily treatable with standard ophthalmic spectacle lenses.	X	X	X	X	X	X	X	X	
C12	Diplopia when symptoms are severe, constant, and in a zone less than 20 degrees from the primary position.	X	X	X	X	X	X	X	X	
C13	Diplopia in any field of gaze, either constant or intermittent, including history of.		X	X	X	X			X	Diplopia noted only at the end point of extreme gaze is considered normal and is not disqualifying.
C14	Hemianopsia when bilateral, permanent, and based on an organic defect.	X	X	X	X	X	X	X	X	
C15	Visual Fields: Any peripheral or central scotoma, other than physiologic.		X	X	X	X	X		X	
C16	Contact lenses that correct near visual acuity only or that are bifocal, or that are fit with the monovision techniques.		X	X	X			X		
<b>Lids</b>										
C17	Any chronic or congenital condition of the eyelids which impairs normal eyelid function or comfort, or potentially threatens visual performance.	X	X	X	X	X	X	X	X	
C18	Epiphora, nasolacrimal duct obstruction		X	X	X					
C19	Ptosis, any, except benign etiologies which are not progressive and do not interfere with vision in any field of gaze or direction.		X	X	X				X	
C20	Dacryocystitis, acute or chronic.		X	X	X				X	
C21	Dacryostenosis.		X	X	X					
<b>Conjunctiva</b>										
C23	Trachoma, unless healed without visually significant scarring.		X	X	X				X	
C24	Xerophthalmia (dry eye syndrome).		X	X	X				X	<a href="#">See AMWG</a>
<b>Cornea</b>										
C25	Any corneal disorder (including keratoconus) that demonstrates progression, requires long term treatment, surgical intervention or corneal procedures, including cross linking, or results in spectacle corrected visual acuity below the level specified in item <a href="#">C2</a> .	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>



		“X” = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Controller (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Eyes and Vision Disqualifying Conditions</b>										
C26	Vascularization or opacification of the cornea for any cause which is progressive or reduces vision below standards.	X	X	X	X	X	X	X	X	
C27	Keratitis, chronic or acute, if the condition is recurrent, requires prolonged treatment, or leads to opacification or other sequelae that interferes with vision.		X	X	X	X	X		X	
C28	Corneal ulcers or recurrent corneal erosions.		X	X	X	X	X		X	
C29	History of traumatic corneal laceration unless it does not interfere with vision.		X	X	X				X	
C30	Corneal dystrophy of any type, including keratoconus of any degree and abnormal corneal topography.		X	X	X				X	See AMWG
C31	Corneal refractive therapy (CRT) or orthokeratology (Ortho-K), active use or use within the last 90 days.		X	X	X				X	
C32	Lamellar or penetrating keratoplasty (corneal transplant).		X	X	X				X	Deleted 27 Feb 2020
C33	History of approved keratorefractive surgery procedures, including PRK, LASEK, epi-LASIK, LASIK, and ICLs and SMILE accomplished to modify the refractive power of the cornea are disqualifying IF the surgical outcome results in the member's inability to meet established vision standards or interferes with the member's ability to perform his/her duties. History of lamellar keratoplasty (LK), penetrating keratoplasty (PK), conductive keratoplasty (CK), or corneal implants (i.e. INTACS) are disqualifying regardless of visual outcome.	X	X	X	X	X	X	X	X	Aeromedical waiver information on corneal refractive surgery is listed in the AMWG. Pre-surgical refractive error as listed in the AMWG are disqualifying; refer to AMWG. Uncomplicated treatment may not require Aeromedical waiver. Member should be DOWN until vision stabilizes. Initial aircrew applicants need to wait 6 months after having approved surgery before applying for initial flying exam. Modified 15 May 2020
C34	History of refractive surgery not listed as approved in the AMWG accomplished to modify the refractive power of the cornea are disqualifying regardless of outcome and not eligible for aeromedical waiver		X	X	X		X^		X	PRK, LASEK, epi-LASIK, LASIK, and ICLs are listed in the AMWG. ^Standard applies only for RPA pilots, not RPA SO or GBO.
<b>Episclera/Sclera</b>										
C36	Episcleritis, chronic or acute, if the condition is recurrent, or requires prolonged or frequent treatment other than artificial tears.		X	X	X					
C37	Scleritis, chronic (> 90 days) acute or chronic, any etiology		X	X	X	X	X			Modified 27 Feb 2020.
<b>Uveal Tract</b>										
C38	Acute, chronic or recurrent inflammation of the uveal tract (iris, ciliary body, or choroid), except for healed traumatic iritis.		X	X	X				X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Eyes and Vision Disqualifying Conditions</b>										
<b>Retina/Vitreous</b>										
C39	Retinal detachment, bilateral.	X	X	X	X	X	X	X	X	See AMWG
C40	Retinal detachment, unilateral, which results from organic progressive disease or results in uncorrectable diplopia, or visual acuity or visual field defects worse than retention standards (C2).	X	X	X	X	X	X	X	X	See AMWG
C41	Retinal detachment and history of same.		X	X	X				X	See AMWG
C42	Degenerations and dystrophies of the peripheral retina that are potentially progressive, associated with vision loss or increase the risk of retinal detachment, including lattice degeneration, atrophic holes and retinoschisis.		X*	X*	X*				X*	* Lattice Degeneration and low risk atrophic retinal holes with refraction <= -5.50 is not disqualifying. Waiver potential for LD and low risk atrophic retinal holes with refraction from -5.75 to -8.00 exists. Risk categories defined in AMWG. See AMWG
C43	Degenerations and dystrophies of the macula, including retinopathies, chorioretinopathies, macular drusen, macular cysts, and macular holes.		X	X	X				X	
C44	Retinitis, chorioretinitis, or other inflammatory conditions of the retina, unless single episode which has healed, produced stable scarring, and is expected not to recur or progress, and does not impair central or peripheral vision.		X	X	X				X	
C45	Angiomatoses, phakomatoses, retinal cysts and other conditions which impair or may impair vision.		X	X	X				X	
C46	Hemorrhages, exudates or other retinal vascular disturbances.		X	X	X				X	
C47	Vitreous opacities or disturbances which may cause loss of visual acuity.		X	X	X				X	
<b>Optic Nerve</b>										
C48	Congenito-hereditary conditions that interfere or may interfere with central or peripheral vision.		X	X	X		X*		X	*Conditions that affect central vision are disqualifying only for initial MOD. Not a retention item for MOD, RPA Pilot, RPA SO.
C49	Optic neuritis, of any kind, including retrobulbar neuritis, papillitis, neuroretinitis, or a documented history of same.		X	X	X				X	See AMWG
C50	Papilledema.		X	X	X				X	
C51	Optic atrophy (primary or secondary) or optic pallor.		X	X	X				X	
C53	Optic neuropathy.		X	X	X				X	See AMWG
C54	Optic nerve head drusen.		X	X	X				X	See AMWG

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Eyes and Vision Disqualifying Conditions</b>										
<b>Lens</b>										
C55	Dislocation of a lens, partial or complete.		X	X	X				X	
C56	Opacities, cataracts, or irregularities of the lens, which interfere with vision, or are considered to be progressive.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
C57	Pseudophakia (intraocular lens implant).		X	X	X		X^		X	<a href="#">See AMWG</a> ^Standard applies only for RPA Pilots, not RPA SO or MOD.
C58	Posterior and/or anterior capsular opacification.		X	X	X		X^		X	<a href="#">See AMWG</a> ^Standard applies only for RPA Pilots, not RPA SO or MOD.
C59	Phakic Intraocular Lenses		X	X	X		X^		X	<a href="#">See AMWG</a> ^Standard applies only for RPA Pilots, not RPA SO or MOD.
<b>Other Defects and Diseases</b>										
C60	Abnormal pupils or loss of normal pupillary reflexes, with the exception of physiological anisocoria.		X	X	X				X	
C61	Extraocular muscle restriction, paralysis or paresis with loss of ocular motility or conjugate alignment in any direction.		X	X	X	X			X	
C62	Asthenopia, if severe.		X	X	X				X	
C63	Nystagmus of any type, except on versional end points.		X	X	X	X			X	
C64	Anophthalmos, microphthalmos or exophthalmos, unilateral or bilateral.		X	X	X				X	
C65	Any traumatic, organic, or congenital disorder of the eye or adnexa, not specified above, which threatens, or potentially threatens, to intermittently or permanently impair visual function.		X	X	X	X	X		X	
C67	History of any ocular surgery to include lasers of any type, not otherwise specifically covered in other sections.		X	X	X		X^		X	<a href="#">See AMWG</a> ^Standard applies only for RPA Pilots, not RPA SO or MOD.
C68	Current or history of retained intraocular foreign body.		X	X	X				X	

Eyes and Vision Disqualifying Conditions		"X" = Standard applies								Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)		
<b>Heterophoria and Heterotropia</b>											
C69	Esophoria greater than 10 prism diopters, at near or distance.		X	X*#	X*#						*FC II and III required to perform scanner duties (per classification guide) these apply. If not required to perform scanner duties then <a href="#">C75-C78</a> apply. For the purpose of the MSD scanner duties are defined by the requirement to assist with safety clearance checks of their aircraft from outside obstacles within 200 meters.
C70	Exophoria greater than 10 prism diopters, at near or distance.		X	X*#	X*#						
C71	Hyperphoria greater than 1.5 prism diopters.		X	X*#	X*#						
C72	Heterotropia, including microtropias and monofixation syndrome, at near or distance.		X	X*	X*						
C74	History of extraocular muscle surgery or strabismus therapies is disqualifying and requires complete evaluation of ocular motility by a competent eye care professional to look for problems.		X	X*	X*						# Phoria standards apply only at initial qualification. Phorias still will be tested at annual Fly PHA. Abnormal values will only apply if accompanied by diplopia or eye pathology.
C75	Esophoria greater than 15 prism diopters.				X^#					X	^FCIII not required to perform scanner duties. "No scanner duties" is to be included in certification of the examination.
C76	Exophoria greater than 15 prism diopters.				X^#					X	
C77	Hyperphoria greater than 2 prism diopters.				X^#					X	# Phoria standards apply only at initial qualification. Phorias still will be tested at annual Fly PHA. Abnormal values will only apply if accompanied by diplopia or eye pathology.
C78	Heterotropia greater than 15 prism diopters, at near or distance.				X^						
C79	Heterophorias. More than 1.5 prism diopter of hyperphoria, 10 prism diopters of esophoria, or 6 prism diopters of exophoria requires a thorough evaluation for other eye pathology motor and sensory abnormalities, by an optometrist or ophthalmologist.						X				
<b>Color Vision and Depth Perception</b>											
C80	Color vision deficit or anomaly of any degree or type as measured by CCT score of less than 55.		X	X	X	X	X*			X	CCT done at initial qualification only. If waived, will get indefinite waiver. * MOD only qualified at CCT >= 35. RPA Pilot and RPA SO still require >=55 <a href="#">See AMWG</a>
C81	Failure of the VTA or OVT (Optec 2300) stereopsis testing is considered disqualifying if the failure occurs with best corrected visual acuity, regardless of level of uncorrected visual acuity, and requires completion of a local ocular motility and macular examination by an ophthalmologist or optometrist and review by member's MAJCOM and the ACS. Passing is 40 arc sec or "B" on OVT. [NO WAIVER REQUIRED if they get B (40 arc sec) or C (30 arc sec) or D (25 arc sec) or E (20 arc sec) or F (15 arc sec).]		X	X	X*						If waiver needed and granted, it will be indefinite with continued annual testing. *If not required for AFSC per classification guide, place initial waiver in PEPP or AIMWTS without extensive work-up required by other AFSCs. (Standard for ATC and SWA deleted 11 June 2019)

		<b>"X" = Standard applies</b>							<b>Comments</b>
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty Special Warfare Airmen (SWA)	
<b>Eyes and Vision Disqualifying Conditions</b>									
C82	Presence of a hollow orbital implant is disqualifying.							X	

**TABLE ONE: Vision & Refractive Error Standards for FC/SOD**

(See notes below) [See AMWG](#)

	FC I	FC IA	FC II (Pilot)	FC II (Non-pilot) and FC III	ATC	GBO	SWA *See <a href="#">Note 10</a>
Distant Vision in each eye (Uncorrected)	--	--	--	--	--	--	20/200
Near Vision in each eye (Uncorrected)	--	--	--	--	--	--	20/50 (Better eye)
Distant Vision in each eye (Corrected)	20/20	20/20	20/20	20/20	20/20	20/20 (Better eye)	20/20
Near Vision in each eye (Corrected)	20/20	20/20	20/20	20/20	20/20	20/20 (Better eye)	20/20
Any Meridian (see note 8)	+2.00 to -3.00	+3.00 to -4.50	+3.50 to -4.00	+5.50 to -5.50	--	+5.50 to -5.50 (RPA Pilot Only)	-8.00 to +8.00
Astigmatism (see note 9)	1.50-3.00	2.00-3.00	2.00 3.00	3.00	--	3.00 (RPA Pilot Only)	
Anisometropia (see note 8)	2.00	2.50	2.50	3.50	--	3.00 (RPA Pilot Only)	

Note 1: Trained individuals found on routine examination to be 20/20 in one eye and 20/25 with current corrective lenses, but are correctable to 20/20 O.U. and who have normal stereopsis may continue flying until the appropriate corrective lenses arrive. These lenses must be ordered by the most expeditious means.

Note 2: All aircrew must be refracted to their best corrected manifest visual acuity. Near vision must be correctable to 20/20 by OVT (Optec 2300). Bifocal prescriptions should be based on visual demands and cockpit working distances for Flying Class II/III and RPA Pilot. The use of spectacles to correct aircrew's distance visual acuity to better than 20/20 is encouraged

Note 3: Cycloplegic Policy: For all initial qualification or for waiver consideration, a cycloplegic refraction must be done using 1% cyclopentolate (Cyclogel®), two drops, 5-15 minutes apart. Examination will be performed no sooner than one hour after the last drop and within two hours of the last drop of cyclopentolate. Required data: (1) minimum cycloplegic refractive power required for each eye to attain a visual acuity of 20/20. If 20/20 visual acuity cannot be attained under cycloplegic conditions, further clinical evaluation may be required.

Note 4: Use of hard, rigid, or gas permeable (hard) contact lenses no sooner than 4 weeks before the examination or soft contact lenses no sooner than 2 weeks before all initial flying examinations is prohibited. If topography is abnormal, repeat exam at 3 months. Document DD Form 2808 appropriately to ensure this requirement has been met.

Note 5: Complex refractive errors that can be corrected only by contact lenses are disqualifying.

Note 6: Optional wear of contact lenses for aircrew members is outlined in AFI 48-123 and the [Knowledge Exchange](#).

Note 7: For MOD, individuals found on routine examination to be 20/20 in one eye and 20/25 with current corrective lenses, but are correctable to 20/20 may continue to perform Missile Operations duties until the appropriate corrective lenses arrive. These lenses must be ordered by the most expeditious means.

Note 8: Standards of refraction for any meridian and anisometropia shall be used for Initial Flying Class or Special Operational Duty physicals only. Waiver dispositions shall be indefinite as they represent the Air Force's acceptance of the investment risk to bring a Service Member onto flight status.

Note 9: Astigmatism > 2.0 requires evaluation to rule out pathologic etiology but does not require a waiver if no underlying pathology discovered.

Note 10: **SWA personnel that fall outside of above referenced standards should reference AR40-501 and NAVMED 15-102/105 for further guidance. Waiver requests for joint service training must be submitted IAW sister service instructions. The Air Force cannot waive sister service standards.**

Better Eye (20/20; 20/30; 20/40; 20/50; 20/60) \* 20/20 corr best eye, 20/100 corr either eye, <8 diopters (Airborne/Ranger); 20/20 corrected, <8 diopters (SF); Near Vision uncorrected worse than 20/50 in best eye, Distant Vision uncorrected worse than 20/100 either eye, 20/20 corrected both eyes, <8 diopter (MFF); 20/20 corrected <8 diopters (Army Dive); minimum 20/25 one eye corrected, 20/200 uncorrected (Navy 15-102 Dive); 20/25 corr, worse than 20/40 uncorr best eye, worse than 20/70 uncorr either eye (SEAL, SWCC — not waiverable for candidates per 15-105); uncorrected worse than 20/200 either eye (EOD, USMC Recon, MARSOC per 15-105)

Deleted 10 Sep 2019

[RETURN TO TABLE OF CONTENTS](#)

## Section D: Ears and Hearing USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).

Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).

SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Ears and Hearing Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
D1	Mastoidectomy or mastoiditis, followed by chronic drainage or chronic infection requiring frequent or prolonged specialized medical care.	X	X	X	X	X	X	X	X	
D2	Infections of ears or mastoids. When satisfactory performance of duty is prevented or because of the requirement for extensive and prolonged treatment.	X	X	X	X	X	X	X	X	
D3	History of mastoidectomy or mastoid surgery.		X	X	X			X	X	
D5	Any surgical procedure in the middle ear that includes fenestration of the oval window or horizontal semicircular canal, any endolymphatic shunting procedure, stapedectomy, the use of any prosthesis or graft, or reconstruction of the stapes.		X	X	X			X	X	<a href="#">See AMWG</a>
D6	Eustachian tube dysfunction. Chronic or recurrent eustachian tube dysfunction (with inability to equalize middle ear pressure by valsalva maneuver).		X	X	X			X	X	<a href="#">See AMWG</a>
D7	Perforation of tympanic membrane or surgical repair of tympanic membrane, until healing is complete and hearing is normal.		X*	X*	X*			X*	X	*For initial applicants, tympanic perforation or surgery is disqualifying until 120 days post-operative and hearing is normal. Traumatic or surgical opening of the tympanic membrane (including PE tubes) after age 12 unless completely healed.
D8	Meniere's syndrome with recurrent attacks or other vestibular dysfunction of sufficient frequency and severity as to require frequent or prolonged medical care or interfere with military duties.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
D9	Current or history of abnormal labyrinthine function, unexplained or recurrent vertigo. A single episode of viral labyrinthitis that resolves without sequelae does not require a waiver.		X	X	X	X		X	X	
D10	Recurrent episodes of vertigo or other disequilibrium.	X*	X	X	X	X	X	X	X	*Only if chronic
D11	Tinnitus when associated with active disease or interfering with social or occupational function.		X	X	X	X	X	X	X	
D12	Any other conditions that interfere with the auditory or vestibular functions.		X	X	X	X	X	X	X	<a href="#">See AMWG</a>

		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controllers (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
<b>Ears and Hearing Disqualifying Conditions</b>										
D13	Atresia, tuberosity, severe stenosis or tumors of the external auditory canal which prevents an adequate view of the tympanic membrane or effective therapeutic access to the entire external auditory canal. Severe external ear deformity that prevents or interferes with the proper wearing of hearing protection or required military equipment.		X	X	X			X	X	
D14	Chronic otitis media, or history of any inner or middle ear surgery (including cochlear implantation). Cholesteatoma or history of surgical removal of cholesteatoma.		X	X	X			X	X	<a href="#">See AMWG Otitis Media or Cholesteatoma</a>
D15	Infection. Any infectious process of the ear until completely healed, except mild asymptomatic external otitis.		X	X	X			X	X	
D16	Auditory ossicular surgery.		X	X	X			X	X	
D17	Acoustic neuroma.	X	X	X	X	X	X	X	X	<a href="#">See L35, L36. See AMWG</a>
D18	Otosclerosis to the extent that it interferes with normal hearing.		X	X	X	X	X	X	X	<a href="#">See AMWG</a>
D19	Any other external, middle, or inner ear condition requiring more than annual follow-up by ENT, otology, or audiology	X	X	X	X	X	X	X	X	
D20	Any other external, middle, or inner ear condition resulting in H-3 or worse hearing.		X	X	X	X	X	X	X	
D21	<a href="#">Reading Aloud Test</a> (RAT) failure. *Initial applicants only, See AFPC training requirements for other AFSCs.		X*	X*	X*	X*	X*		X*	Modified 27 Feb 2020.
<b>Hearing (See below for AUDIOMETRIC THRESHOLD LEVELS)</b>										
D22	Hearing loss that precludes safe, effective performance of duty despite use of hearing aid(s). (i.e. H-4)	X	X	X	X	X	X	X	X	
D23	Use of hearing aid.		X	X	X	X			X	The requirement for use of hearing aids does not necessarily preclude deployment or mobility status. Member must have adequate unaided hearing to perform duties safely.



Ears and Hearing Disqualifying Conditions		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controllers (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
D24	Hearing threshold level in either ear that is H-2.		X	X*	X*	X*				<ul style="list-style-type: none"> <li>- SERE requires H2</li> <li>- Initial applicants for Flying Class FCI/IA, II, RPA Pilot, III, ATC, SWA must be H1 for selection.</li> <li>- *FC II/RPA Pilot/III/SWA Trained assets with H2 require evaluation for conductive or retrocochlear pathology (includes audiology evaluation and potential ENT evaluation). Restriction from flying is not required during this work-up. No waiver is required for trained personnel unless indicated by audiology/ENT findings.</li> </ul>
D25	Hearing threshold level in either ear that is H-3.		X	X	X	X	X*		X	<ul style="list-style-type: none"> <li>- *H2 required for initial GBO status</li> <li>- <a href="#">See AMWG</a></li> </ul>
D26	Asymmetric hearing loss as evidenced by a 25 dB or greater difference between the left and right ears at any two consecutive frequencies.		X	X	X	X	X		X	<ul style="list-style-type: none"> <li>*If otherwise asymptomatic, restriction from flying is not required during evaluation and waiver process.</li> <li><a href="#">See AMWG</a></li> </ul>

**TABLE 2: Acceptable audiometric hearing level for Air Force**

Unaided hearing loss in either ear with no single value greater than:							
Frequency (HZ)	500	1000	2000	3000	4000	6000	Comments
H-1	25	25	25	35	45	45	AF enlistment, commission, AF Academy, Class I and IA, initial IFCII, RPA Pilot, IFCIII, GBCATC, MODGBO, SWA, SERE, and selected career fields as noted in the Officer and Enlisted Classification Directories (AFOCD/AFECD). Modified 27 Feb 2020.
H-2	35	35	35	45	55	—	Continued service for all flyers, SOD; require evaluation for continued flying/SOD (See Aircrew waiver guide for details on the evaluation).
H-3	Any loss that exceeds the values noted above, but does not qualify for H-4.						H-3 profile requires evaluation and MAJCOM waiver for continued flying, and Audiology evaluation for fitness for continued active duty.
H-4	Hearing loss sufficient to preclude safe and effective performance of duty, regardless of level of pure tone hearing loss, and despite use of hearing aids.						This degree of hearing loss is disqualifying for all military duty. These require evaluation for continued service via either ARC Fitness for Duty (FFD), Worldwide Duty (WWD) processing, or review by the DAWG, IAW <a href="#">AFI 10-203</a> and <a href="#">AFMAN 41-210</a> for Initial RILO.

[RETURN TO TABLE OF CONTENTS](#)

## Section E: Larynx, Nose, Pharynx, and Trachea USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

		"X" = Standard Applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Larynx, Nose, Pharynx, and Trachea Disqualifying Conditions</b>										
E1	Paralysis of the larynx. Characterized by bilateral vocal cord paralysis or dysfunction significantly interfering with speech or adequate airway significant enough to cause respiratory compromise upon any exertion.	X	X	X	X	X	X	X	X	
E2	Neoplasm, polyps, granuloma, or ulceration of the larynx if it requires ongoing ENT procedures or follow-up visits more than annually.	X	X	X	X	X	X	X	X	Modified 15 May 2020
E3	Neoplasm, polyps, granuloma, or ulceration of the larynx. if requires ongoing ENT procedures or follow-up visits more than annually.		X	X	X				X	Modified 15 May 2020
E4	Chronic or recurrent laryngitis, hoarseness, or aphonia, interfering with communication.		X	X	X	X	X		X	Clear voice communication as demonstrated by the <a href="#">reading aloud test</a> .
E5	Deformities, injuries, or diseases of the mouth (including teeth), nose, throat, tongue, palate, vocal cords, pharynx, or larynx that interfere with breathing, chewing, swallowing, speech, or clear verbal communication.		X	X	X	X			X	
E6	Speech - any defect in speech that would interfere with clear and effective communication in the English language (e.g. stammering or stuttering).		X	X	X	X	X		X	Clear voice communication as demonstrated by the <a href="#">reading aloud test</a> .
E7	Obstructive edema of the glottis, if recurrent.	X	X	X	X	X	X	X	X	
E8	Stenosis of larynx or trachea causing respiratory compromise	X	X	X	X	X	X	X	X	
E9	Tracheotomy or tracheal fistula.		X	X	X	X		X	X	
E10	Atrophic (not allergic) rhinitis, when severe and chronic and requiring ongoing ENT follow-up.	X	X	X	X	X	X	X	X	
E11	A verified history of allergic, nonallergic, or vasomotor rhinitis, after age 12, unless symptoms are mild and can be controlled by a single approved medication.		X						X	<a href="#">See AMWG</a>
E12	Allergic rhinitis, unless mild in degree, controlled by use of approved medications, and considered unlikely to limit the examinee's flying activities.		X	X	X	X		X	X	<a href="#">See AMWG</a>
E13	Nasal polyps resulting in clinical symptoms incompatible with flight/chamber.		X	X	X			X	X	<a href="#">See AMWG</a>
E14	Perforation of the nasal septum.		X	X	X				X	
E15	Deviations of the nasal septum, septal spurs, enlarged turbinates or other obstructions to nasal ventilation which result in clinical symptoms.		X	X	X	X		X	X	

		"X" = Standard Applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Larynx, Nose, Pharynx, and Trachea Disqualifying Conditions</b>										
E16	Sinusitis. Severe and chronic, either causing frequent missed duty or requiring ongoing ENT follow-up more than annually.	X	X	X	X	X	X	X	X	
E17	Chronic or recurrent sinusitis and/or surgery to treat chronic sinusitis		X	X	X			X		<a href="#">See AMWG</a>
E18	Any surgical procedure for sinusitis, polyposis or hyperplastic tissue.		X							
E19	Epistaxis, chronic, recurrent (greater than one episode per week of bright red blood from the nose occurring over a 3-month period).		X	X	X				X	
E20	Recurrent calculi of the salivary glands or ducts.		X	X	X					<a href="#">See AMWG</a>
E21	Permanent anosmia or parosmia.		X	X	X				X	
E22	Salivary fistula.		X	X	X					<a href="#">See AMWG</a>
E23	Deformity, perforation, or extensive loss of substance of the hard or soft palate; extensive adhesions of the soft palate to the pharynx or complete paralysis of the soft palate. Note: Unilateral paralysis of the soft palate which does not interfere with speech or swallowing and is otherwise asymptomatic is not disqualifying.		X	X	X				X	
E24	Chronic pharyngitis and nasopharyngitis.		X	X	X				X	
E25	TMJ – when symptoms are severe enough to require ongoing ENT or Oral Surgery follow-up more than annually, or when they prevent prolonged wear of the gasmask.	X	X	X	X	X	X	X	X	
E26	Recurrent dislocation of the temporomandibular joint.		X	X	X				X	
E27	Any laryngeal or tracheal framework surgery is disqualifying								X*	*Does not apply to SERE, TACP, ALO

[RETURN TO TABLE OF CONTENTS](#)

## Section F: Dental USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SW standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Dental Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
F1	Diseases and abnormalities of the jaw or associated tissues which despite treatment prevent normal mastication, normal speech or the wearing of required life support or chemical/biological warfare ensemble, to include effective use of gas mask, or which otherwise interferes with performance.	X	X	X	X	X	X	X	X	Life support equipment includes required gear for AFSC (SCUBA) and other AFSC equipment as applicable.
F2	Diseases of the jaw or associated structures such as cysts, tumors, chronic infections, and severe periodontal conditions which could interfere with normal mastication, until adequately treated. These include, but are not limited to, temporomandibular disorders and/or myofascial pain that has not been corrected.		X	X	X	X			X	
F3	Severe malocclusion which interferes with normal mastication or requires protracted treatment.		X	X	X				X	
F4	Dental defects such as carious teeth, malformed teeth, defective restorations, or defective prosthesis, until corrected.		X							
F5	Anticipated or ongoing treatment with fixed orthodontic appliances.		X						X	
F6	Aircrew members who have a significant dental defect which may be expected to cause a dental emergency during flight will be grounded.		X	X	X				X	
F7	Personnel wearing orthodontic appliances need not have appliances removed for physical qualification. After consultation with the treating orthodontist, the local flight surgeon may qualify the individual for flying duties if there is no effect on speech or the ability to wear equipment with comfort.		X	X	X				X	
F8	Orthodontic appliances, if they interfere with effective oral communication, or pose a hazard to personal or flight safety.			X	X	X			X	

[RETURN TO TABLE OF CONTENTS](#)

## Section G: Chest Wall and Pulmonology USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
<b>Chest Wall and Pulmonology Disqualifying Conditions</b>										
G1	Symptoms of chronic or recurrent pulmonary disease, or residuals of surgery, which preclude satisfactory performance of duty, interference with exercise tolerance, causes frequent absences from duty or require ongoing specialty medical care more than annually.	X	X	X	X	X	X	X	X	This may include but not limited to: bronchitis, silicosis, extensive pulmonary fibrosis, and pleural fibrosis.
G2	Other lung or chest wall diseases or abnormalities that preclude satisfactory performance of duty, or require ongoing specialty medical care more than annually.	X	X	X	X	X	X	X	X	
G3	Asthma of any degree, reactive airway disease, intrinsic or extrinsic bronchial asthma, exercise-induced bronchospasm, or IgE (Immunoglobulin E) mediated asthma.	X	X*	X*	X*	X*	X	X	X*	*History of asthma requires a waiver for initial qualification.
G5	Airmen with any degree of severity of obstructive sleep apnea (OSA) who continue to have symptoms despite their treatment with Positive Airway Pressure (PAP) machine, oral positional devices, or who require supplemental oxygen, or any chronic medication to maintain wakefulness.	X	X	X	X	X	X	X	X	See <a href="#">L22</a> - <a href="#">L23</a> for Sleep Disorders. <a href="#">See AMWG</a> . The diagnosis must be based upon a nocturnal PSG and the evaluation of a provider credentialed and privileged in sleep medicine. Airmen with any degree of obstructive sleep apnea do NOT require an IRILO if their symptoms are well controlled using a PAP machine or oral positional devices. Deployment waiver may still be required per COCOM reporting instructions.
G6	Current or history of sleep apnea (including OSA, mixed/central sleep apnea, regardless of Apnea Hypopnea Index (AHI) or Respiratory Disturbance Index (RDI) values) or other clinical sleep disorders, regardless of prior treatment.		X	X	X	X	X		X	
G8	Active tuberculosis, where curative therapy requires 15 or more months. NOTE: Latent TB infection is not disqualifying but must be evaluated (and given chemoprophylaxis, if appropriate), following current CDC guidelines.	X	X	X	X	X	X	X	X	
G9	Positive PPD (tuberculin skin test) or Quantiferon test, without documented evaluation or treatment.		X	X	X				X	
G10	Active tuberculosis in any form or location, or substantiated history of active tuberculosis within the previous 2 years.		X	X	X				X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Chest Wall and Pulmonology Disqualifying Conditions</b>										
G11	Chronic sequelae from treated tuberculosis, including tuberculous pleurisy or reduced pulmonary function if resulting in frequent absences from duty or the need for ongoing specialty follow-up more than annually.	X	X	X	X	X	X	X	X	
G12	Chronic sequelae from treated tuberculosis, including tuberculous pleurisy or reduced pulmonary function.		X	X	X				X	
G13	Recurrent spontaneous pneumothorax, when the underlying defect is not correctable by surgery.	X	X	X	X	X	X	X	X	
G14	Spontaneous pneumothorax. This includes a history of spontaneous pneumothorax for IFC exams.		X	X	X			X	X	<a href="#">See AMWG</a>
G15	Pulmonary blebs or bullae, unless corrected by surgical treatment, recovery is complete, and pulmonary function tests are normal.		X	X	X				X	
G16	Bronchiectasis if resulting in frequent absences from duty or the need for ongoing specialty follow-up more than annually.	X	X	X	X	X	X	X	X	
G17	Bronchiectasis.		X	X	X				X	
G18	Sarcoidosis.	X	X	X	X	X	X	X	X	<a href="#">See AMWG.</a>
G19	Empyema, or unhealed sinuses of the chest wall following surgery for empyema.		X	X	X				X	
G20	Pulmonary emphysema, bullous or generalized.	X	X	X	X	X	X	X	X	
G21	Cystic or cavitary disease of the lung.		X	X	X				X	
G22	History or current abscess of the lung or mediastinum.		X	X	X				X	
G23	Chronic infectious processes of the lung, including but not limited to viral/bacterial/atypical pneumonia, parasitic and fungal infections. Residuals of infection, including cavitation, except for scattered nodular parenchymal and hilar calcifications. NOTE: Acute pulmonary infections that resolve completely with treatment are not disqualifying.		X	X	X				X	
G24	Current foreign body in the trachea or bronchus.		X	X	X			X	X	

		"X" = Standard applies							Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	
<b>Chest Wall and Pulmonology Disqualifying Conditions</b>									
G25	Pectus excavatus, pectus carinatum, or other congenital or acquired defects of the lungs, spine, chest wall, or mediastinum, which reduce chest capacity, cause air trapping, or diminish respiratory or cardiac functions, to a degree which interferes with vigorous physical exertion or the wear of required protective equipment. Surgical repair of the condition, if pain or scarring prevents wear of PPE, is also disqualifying.	X	X	X	X	X	X	X	
G26	<del>Pulmonary embolus.</del> History of pulmonary embolus.		X	X	X			X	See H49. See AMWG Modified 15 May 2020
G27	Chronic adhesive pleuritis which produces any findings except minimal blunting of the costophrenic angles.		X	X	X				
G28	Chronic pulmonary or pleural disease of any type.		X	X	X	X	X	X	
G29	Pneumonectomy.	X	X	X	X	X	X	X	
G30	History of lobectomy or multiple segmental resections, if symptomatic, interfering with exercise tolerance or duty performance, causing frequent absences from duty, or requiring Pulmonologist follow-up more than annually.	X	X	X	X	X	X	X	
G31	Chronic cystic mastitis.		X	X	X				
G32	Traumatic pneumothorax								Waiver considered after period of 6 months, must include: a) normal PFT b) non-con CT chest c) pulm rec d) DMO approval X* *Does not apply to SERE, TACP, ALO
G33	Diving-related pulmonary barotrauma							X*	*Does not apply to SERE, TACP, ALO

[RETURN TO TABLE OF CONTENTS](#)

## Section H: Heart and Vascular USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).

Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).

SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Heart and Vascular Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Heart and Vascular System</b>										
H1	Arteriosclerotic heart disease, when associated with myocardial infarction, congestive heart failure, persistent major rhythm disturbances, repeated angina attacks, or silent ischemia at a low to moderate workload.	X	X	X	X	X	X	X	X	Note: Refer to ARC supplements when managing cases on ARC members.
H2	Any degree of coronary artery disease.		X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H3	Myocardial infarction. Individuals sustaining a myocardial infarct will have an initial RILO within 90 days of an event.	X	X	X	X	X	X	X	X	
H4	Angina pectoris.	X	X	X	X	X	X	X	X	
H5	Maintenance on any type of medication for the treatment or prevention of angina, congestive heart failure, or major rhythm disturbances (ventricular tachycardia, ventricular fibrillation, symptomatic paroxysmal supraventricular tachycardia, atrial flutter, or atrial fibrillation).	X	X	X	X	X	X	X	X	
H6	History of myocardial infarction, angina pectoris, or other evidence of coronary heart disease including silent ischemia.		X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H7	Recurrent cardiogenic syncope regardless of etiology (unless clearly identified by a precipitating cause which can be avoided).	X	X	X	X	X	X	X	X	See <a href="#">L14</a>
<b>Conduction Disorders/Arrhythmias</b>										
H8	Supraventricular tachyarrhythmias (including atrial fibrillation, atrial flutter, paroxysmal supraventricular tachycardia), unless successfully ablated, and not associated with structural heart disease. Note: single episode of atrial fibrillation clearly associated with reversible cause and successfully treated is not disqualifying for retention.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H9	History of symptomatic or asymptomatic major dysrhythmia. Major dysrhythmias include supraventricular tachycardia, atrial tachycardia, atrial flutter, atrial fibrillation, ventricular tachycardia, ventricular flutter, ventricular fibrillation, asystole and syndrome of inappropriate sinus tachycardia.		X	X	X				X	<a href="#">See Aircrew waiver guide and Disposition of ECG Findings guide for additional information.</a>



		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Heart and Vascular Disqualifying Conditions</b>										
H10	Ventricular fibrillation or sustained ventricular tachycardia.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H11	Symptomatic premature ventricular contractions which are significant enough to interfere with satisfactory performance of duty.	X	X	X	X	X	X	X	X	
H12	Symptomatic or asymptomatic second degree Type II or third degree atrioventricular block, or symptomatic second degree I atrioventricular block. Exception is atrioventricular blocks which are clearly associated with reversible cause.	X	X	X	X	X	X	X	X	
H13	History of or ECG evidence of Brugada pattern, Congenital Long QT syndrome, arrhythmogenic RV cardiomyopathy (ARVC), or Hypertrophic Cardiomyopathy.	X	X	X	X	X	X	X	X	
H14	Verified history of major electrocardiographic conduction defects, such as Mobitz II second-degree A-V block, third degree A-V block, left bundle branch block (LBBB), Wolff-Parkinson-White (WPW) pattern/syndrome, or Lown-Ganong-Levine (LGL) syndrome.		X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H15	Any other resting 12-lead ECG findings considered to be borderline or abnormal by ECG Library review, or known to be serial changes from previous records, unless a cardiac evaluation as directed and reviewed by the ACS/ECG Library reveals no underlying disqualifying disease.		X	X	X				X	See " <a href="#">Disposition for ECG Findings</a> " for guidance whether the aviator/aircrew must be DOWN pending evaluation results and final recommendations from the ACS/ECG Library.
H16	Abnormal noninvasive cardiac studies by ACS/EKG Library review. Note: For rated officers, reports and copies of tracings/images of any cardiac study, (i.e., ECG, Holter monitor, echocardiogram, treadmill, stress myocardial perfusion imaging, CT scan for coronary calcium) accomplished for any clinical or aeromedical indication MUST be forwarded to the <a href="#">ACS ECG Library</a> for review.		X	X	X				X	
H17	Pacemakers or implantable cardioverter-defibrillators.	X	X	X	X	X	X	X	X	
<b>Inflammatory and Misc.</b>										
H18	Myocarditis and degeneration of the myocardium.	X	X	X	X	X	X	X	X	
H19	Pericarditis. Chronic constrictive pericarditis, unless successful surgery has been performed and return of normal hemodynamics objectively documented. Chronic serous pericarditis.	X	X	X	X	X	X	X	X	
H20	Endocarditis, infectious (acute or subacute), and marantic, if resulting in residual cardiac dysfunction or if associated with valvular, congenital, or hypertrophic myocardial disease.	X	X	X	X	X	X	X	X	
H21	Pericarditis, myocarditis, or endocarditis, or history of these conditions.		X	X	X				X	<a href="#">See AMWG.</a>

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Heart and Vascular Disqualifying Conditions</b>										
H22	Cardiomyopathy of any etiology, including but not limited to: hypertrophic, genetic, ion channel disorders, acquired, dilated, restrictive, and secondary forms.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H23	History of cardiac failure or cardiomyopathy, regardless of cause.		X	X	X				X	<a href="#">See AMWG</a>
H24	Acute rheumatic valvulitis or sequelae of chronic rheumatic heart disease	X	X	X	X	X	X	X	X	See valvular heart disease ( <a href="#">H26-H32</a> ).
H25	Thromboangiitis obliterans.	X	X	X	X	X	X	X	X	
<b>Congenital and Structural Abnormalities</b>										
H26	History of valvular heart disease to include mitral valve prolapse; bicuspid aortic valve; pulmonic, mitral, and tricuspid valvular regurgitation greater than mild, aortic regurgitation greater than trace, and any degree of valvular stenosis.		X	X	X	X		X	X	<a href="#">See AMWG</a>
H27	Symptomatic mitral valve prolapse requiring treatment.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H28	Moderate to severe aortic stenosis (valvular, subvalvular or supra-valvular), even if asymptomatic.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H29	Moderate to severe mitral regurgitation, any etiology, if symptomatic or associated with subnormal ejection fraction. Successful mitral repair with preservation of ejection fraction, no need for anticoagulants or anti-arrhythmics may be waived if exercise tolerance is normal, but DAWG review must precede surgery.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H30	Severe valvular or subvalvular pulmonic stenosis. Successful correction of valvular pulmonic stenosis with balloon valvuloplasty may be waiverable, but DAWG review must precede the procedure.	X	X	X	X	X	X	X	X	Note: DAWG may defer to DP2NP as needed.
H31	Symptomatic mitral stenosis generally associated with mitral valve area less than 1.0 cm sq.	X	X	X	X	X	X	X	X	
H32	Severe aortic insufficiency if symptomatic associated with left ventricular dilation or dysfunction.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
H33	Congenital and structural anomalies of the heart that are not normal structural variants. A patent foramen ovale that is not associated with embolic phenomena does not require MEB.	X	X	X	X	X	X	X	X	
H34	Congenital abnormalities of the heart and/or vessels, including those corrected by surgery or catheter-based therapeutic intervention.		X	X	X				X	<a href="#">See AMWG</a>
H35	History of significant traumatic heart disease.		X	X	X					

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Heart and Vascular Disqualifying Conditions</b>										
H36	Right or left ventricular hypertrophy or cardiac chamber dilation, verified by echocardiogram, unless evaluation and ACS review demonstrates it to be normal physiological response to athletic conditioning or other normal variant.		X	X	X				X	
H37	Orthostatic or symptomatic hypotension, or recurrent vasodepressor syncope.		X	X	X	X	X		X	<a href="#">See neurologic tab</a> , <a href="#">See AMWG</a>
<b>Vascular Disease</b>										
H38	Disease and disorders of the aorta, including surgical or percutaneous therapeutic intervention, including but not limited to aneurysm, dissection, arteriosclerosis, collagen vascular disease, inflammatory conditions, and infectious diseases.	X	X	X	X	X	X	X	X	
H39	Peripheral and central vascular disease, if symptomatic, including claudication, skin changes or cerebrovascular events (including stroke, TIA, CVA, infarcts, etc.).	X	X	X	X	X	X	X	X	<a href="#">See L39</a>
H40	Raynaud's phenomenon, if frequent, severe, associated with systemic disease or would limit worldwide assignability.	X	X	X	X	X	X	X	X	
H41	Diseases and disorders of the arteries, including but not limited to aneurysm, dissection, arteriosclerosis, collagen vascular disease, inflammatory conditions, infectious diseases, Raynaud's or vasospastic disease, erythromelalgia, and diabetic vascular disease.		X	X	X				X	<a href="#">See AMWG</a>
H42	Varicose veins. Severe pain limiting exercise/fitness testing or evidence of skin ulceration.	X	X	X	X	X	X	X	X	
H43	Periarthritis nodosa.	X	X	X	X	X	X	X	X	
H44	<del>Chronic venous insufficiency (postphlebotic syndrome). When symptomatic or requiring elastic support or chronic anticoagulation.</del> Post-thrombotic syndrome when symptomatic requiring chronic anticoagulation.	X	X	X	X	X	X	X	X	Modified 27 Feb 2020.
H45	Diseases and disorders of the veins, including surgical or percutaneous therapeutic intervention, including but not limited to aneurysm, recurrent thrombophlebitis, varicose veins with more than mild pain or complications, venous insufficiency with edema or skin ulceration, and inflammatory or infectious conditions.		X	X	X				X	
H46	AV fistula of a major vessel.		X	X	X	X			X	
H47	Aneurysm or history of repair.	X	X	X	X	X	X	X	X	
H48	Deep venous thrombosis with repeated attacks requiring treatment or prophylaxis.	X	X	X	X	X	X	X	X	<a href="#">See AMWG Deleted 15 May 2020</a>
H49	Pulmonary embolus. (History of pulmonary embolus for FC I/IA/II/III.)	X	X	X	X	X	X	X	X	<a href="#">See AMWG See G26 Deleted 15 May 2020</a>

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Heart and Vascular Disqualifying Conditions</b>										
H50	Hypertensive cardiovascular disease. Diastolic pressure consistently more than 110 mmHg following an adequate period of therapy in an ambulatory status or history of hypertension associated with any of the following: More than minimal demonstrable changes in the brain. Heart disease related to the hypertension, including atrial fibrillation, moderate to severe left ventricular hypertrophy, and symptomatic systolic or diastolic dysfunction. Unequivocal impairment of renal function. Grade III (Keith-Wagener-Parker) changes in the fundi. Multiple drug therapy requiring inordinate amount of medical supervision, or requiring recurrent laboratory monitoring, after initial medical stabilization on medication.	X	X	X	X	X	X	X	X	A member should not be deployed during the initial stabilization period while medication dosage is being adjusted.
H51	Hypertension, not controlled to less than 140/90 with a single approved monotherapy agent (described in Aircrew Waiver Guide). Note: Asymptomatic personnel with average systolic blood pressure ranging between 141 mmHg and 160 mmHg, or average diastolic blood pressure ranging between 91 mmHg and 100 mmHg, may remain on flying status for up to 6 months (from the date the elevated blood pressure was first identified) while undergoing non-pharmacological intervention to achieve acceptable values.		X	X	X	X				<a href="#">See AMWG</a>
H52	Any elevation in blood pressure due to secondary metabolic or pathologic causes until the underlying cause has been corrected, provided the primary condition is not disqualifying.		X	X	X					
<b>Surgery</b>										
H53	Surgery of the heart, pericardium, or vascular system.	X	X	X	X	X	X	X	X	
H54	Reconstructive Surgery including: Grafts, prosthetic devices that are attached to or implanted for cardiovascular therapeutic purposes, regardless of result. Fitness for Duty processing is required for ARC members 6-12 months following procedure with associated myocardial damage; three months if no myocardial damage.	X	X	X	X	X	X	X	X	
H55	Coronary vascular surgery, regardless of the result.	X	X	X	X	X	X	X	X	Note: Refer to AFI 48-123, Chapter 9 when managing cases on ARC members. <a href="#">See AMWG</a>
H56	History of cardiac surgery or catheter-based therapeutic intervention. Congenital abnormalities of the heart and/or vessels, including those corrected by surgery or catheter-based therapeutic intervention.		X	X	X				X	<a href="#">See AMWG</a>
H57	Hypertension requiring three or more medications or associated with changes in any organ system								X	

## Section I: Abdominal and Gastrointestinal USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Abdominal and Gastrointestinal Disqualifying Conditions</b>										
I1	Achalasia (cardiospasm) with dysphagia, frequent discomfort, inability to maintain normal weight or nutrition or requiring repeated dilation or surgery	X	X	X	X	X	X	X	X	
I2	Esophagitis, persistent and severe.	X	X	X	X	X	X	X	X	
I3	Chronic or recurrent esophagitis or GERD or esophageal motility disorders, not controlled by medications listed in "Official Air Force Aerospace Medicine Approved Medications" or with complications including stricture or reactive airway disease.		X	X	X	X			X	<a href="#">See AMWG</a>
I4	Diverticulum of the esophagus that causes frequent regurgitation, obstruction, or weight loss, and does not respond to treatment or requires frequent specialty follow-up.	X	X	X	X	X	X	X	X	
I5	Esophageal stricture that requires an essentially liquid diet, frequent dilation or hospitalization, or causes difficulty in maintaining weight and nutrition.	X	X	X	X	X	X	X	X	
I6	Symptomatic esophageal disease including, but not limited to ulceration, diverticulum, varices, fistula, stricture, pronounced dilation, achalasia, dysmotility disorders, or Barrett's esophagus.		X	X	X	X	X		X	
I7	Gastritis, severe/chronic (confirmed by gastroscopic examination), with repeated symptoms requiring frequent lost duty time.	X	X	X	X	X	X	X	X	
I8	Gastritis or non-ulcerative dyspepsia, chronic or severe, not controlled by medications listed in "Official Air Force Aerospace Medicine Approved Medications",		X	X	X	X	X		X	
I9	Ulcer. Peptic, duodenal or gastric (confirmed by laboratory, imaging, or endoscopy), with repeated incapacitation or absences from duty or requiring frequent specialty follow-up.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
I10	Peptic ulcer disease, active, refractory to treatment, resulting in complications (e.g. hemorrhage, obstruction or perforation), <b>or necessitating long-term PPI therapy for recurrence prevention.</b>		X	X	X	X	X		X	<a href="#">See AMWG</a> Modified 15 May 2020
I11	Other recurrent, incapacitating abdominal pain of such nature to prevent the member from performing his/her duties, frequent absences from duty, or requiring frequent specialty care.	X	X	X	X	X	X	X	X	
I12	Hiatal hernia with severe symptoms not relieved by dietary therapy, medical therapy or surgery.	X	X	X	X	X	X	X	X	
I13	Other types of hernias, if operative repair is contraindicated for medical reasons, or if not amenable to surgical repair and symptoms interfere with continued military duty.	X	X	X	X	X	X	X	X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Abdominal and Gastrointestinal Disqualifying Conditions</b>										
I14	Abdominal wall hernia, other than small asymptomatic umbilical.		X	X	X				X	
I15	Wounds, injuries, scars, or weakness of the muscles of the abdominal wall which are sufficient to interfere with function.		X	X	X				X	
I16	Cirrhosis of the liver, if subspecialty follow-up is required or if there are complications, to include abnormal liver function.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
I17	Hepatitis, any type, with EITHER impairment of liver function OR a need for specialty follow-up beyond the first six months.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
I18	Any other chronic liver disease, viral disease carrier state, or sequelae of chronic liver disease, whether congenital or acquired, including but not limited to hemochromatosis, Wilson's disease, or alpha-1 anti-trypsin deficiency. Exception: if uncomplicated Gilbert's disease is the only diagnosis, no I-RILO or waiver is required.	X	X	X	X	X	X	X	X	<a href="#">See A32.</a> <a href="#">See AMWG</a>
I19	Amebic abscess residuals. Persistent abnormal liver function tests and failure to maintain weight and normal vigor after appropriate treatment.	X	X	X	X	X	X	X	X	
I20	Pancreatitis, acute only if complicated or with large persistent pseudocysts.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
I21	Pancreatitis, chronic or recurrent, with steatorrhea, disturbance of glucose metabolism requiring insulin or hypoglycemic agents, or frequent abdominal pain requiring hospitalization or frequent absences from duty.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
I22	Pancreatitis, any acute or chronic, regardless of cause, or history of the same.		X	X	X				X	<a href="#">See AMWG</a>
I23	Peritoneal or other abdominal adhesions causing recurring episodes of intestinal obstruction characterized by abdominal colicky pain, vomiting, and requiring frequent admissions to the hospital or frequent absences from duty.	X	X	X	X	X	X	X	X	
I24	Crohn's disease, regional enteritis, granulomatous enteritis or enterocolitis.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
I25	Ulcerative colitis or proctitis.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
I26	Stricture of rectum. Severe symptoms of obstruction characterized by intractable constipation, pain on defecation, and difficult bowel movements that require the regular use of laxatives, enemas, or repeated hospitalization or frequent absences from duty.	X	X	X	X	X	X	X	X	
I27	Stricture or prolapse of the rectum.		X	X	X				X	
I28	Proctitis, chronic, with moderate to severe symptoms of bleeding, painful defecation, tenesmus, or diarrhea, with repeated admissions to the hospital or frequent absences from duty.	X	X	X	X	X	X	X	X	
I29	Proctitis, chronic, or symptomatic.		X	X	X				X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Abdominal and Gastrointestinal Disqualifying Conditions</b>										
I30	Hemorrhoids which cause marked symptoms or internal hemorrhoids which hemorrhage or protrude intermittently or constantly, until surgically corrected.		X	X	X				X	
I31	Anus. Impairment of sphincter control with fecal incontinence.	X	X	X	X	X	X	X	X	
I32	Fecal incontinence.		X	X	X				X	
I33	Anal fistula, acute or chronic.		X	X	X				X	
I34	Ischiorectal abscess.		X	X	X				X	
I35	Familial polyposis.	X	X	X	X	X	X	X	X	
I36	Diverticulitis, symptomatic diverticulosis, or symptomatic Meckel's diverticulum.		X	X	X				X	<a href="#">See AMWG</a>
I37	Congenital abnormalities of the bowel if symptomatic or requiring surgical treatment. Intestinal obstruction if due to any chronic or recurrent disease. Intestinal obstruction requiring surgery (excluding uncomplicated correction of childhood pyloric stenosis or intussusception, with no residual dysfunction).		X	X	X				X	
I38	Colectomy, partial, when hyperdefecation remains.	X	X	X	X	X	X	X	X	
I39	History of partial resection of the large or small intestine (not including appendectomy).		X	X	X				X	
I40	Colostomy, enterostomy, gastrostomy, or ileostomy when permanent or any other permanent artificial openings.	X	X	X	X	X	X	X	X	
I41	Gastrectomy, total.	X	X	X	X	X	X	X	X	
I42	Gastrectomy, subtotal with or without vagotomy, or gastrojejunostomy or pyloroplasty with or without vagotomy, when, in spite of good medical management, the individual: develops incapacitating dumping syndrome, develops frequent episodes of incapacitating epigastric distress with characteristic circulatory symptoms of diarrhea, or continues to demonstrate significant weight loss.	X	X	X	X	X	X	X	X	
I43	History of gastroenterostomy, gastrointestinal bypass, stomach stapling, or surgery for relief of intestinal adhesions.		X	X	X				X	
I44	Sinus or fistula of the abdominal wall.		X	X	X				X	
I45	Pancreatectomy, except for partial pancreatectomy for a benign condition that does not result in residual symptoms.	X	X	X	X	X	X	X	X	
I46	Pancreaticoduodenostomy, pancreaticogastrostomy, and pancreaticojejunostomy.	X	X	X	X	X	X	X	X	
I47	Proctectomy.	X	X	X	X	X	X	X	X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Abdominal and Gastrointestinal Disqualifying Conditions</b>										
I48	Proctoplexy, proctoplasty, proctorrhaphy, or proctotomy, if fecal incontinence remains after appropriate treatment.	X	X	X	X	X	X	X	X	
I49	Gastrointestinal bypass or stomach stapling, or any other procedure to alter gastric volume for control of obesity.	X	X	X	X	X	X	X	X	See AFI 44-102 3.5. Use of Weight Control Drugs and Surgery
I50	Gastrointestinal hemorrhage, regardless of cause (excluding minor hemorrhoidal bleeding).		X	X	X	X			X	
I51	Celiac disease or sprue.	X	X	X	X	X	X	X	X	
I52	Malabsorption syndromes that require specialized diet which makes prolonged subsistence on MREs difficult or dangerous, or symptomatic despite medical treatment, or results in frequent medical appointments, need for ongoing specialty follow-up, or frequent missed duty time.	X	X	X	X	X	X	X	X	
I53	Malabsorption syndromes.		X	X	X				X	
I54	Irritable bowel syndrome (functional bowel syndrome) that results in frequent medical appointments, need for ongoing specialty follow-up, or frequent missed duty time.	X	X*	X*	X*	X*	X*	X*	X*	*Disqualifying for flying/SOD unless asymptomatic and controlled by diet alone. See AMWG. Modified 27 Feb 2020.
I55	Chronic diarrhea, regardless of cause.		X	X	X				X	
I56	Megacolon.		X	X	X				X	
I57	Marked enlargement of the liver from any cause (including hepatic cysts).		X	X	X				X	
I58	Impairment of liver for any reason if chronic and/or requiring ongoing specialty follow-up.	X	X	X	X	X	X	X	X	
I59	Impairment of gallbladder function if chronic, not amenable to surgery, and requiring ongoing specialty follow-up.	X	X	X	X	X	X	X	X	
I60	Cholecystitis/cholelithiasis that is symptomatic, chronic, or requires ongoing therapy.		X	X	X	X			X	Currently asymptomatic retained stones may not require surgery. If they become symptomatic, treat appropriately and DOWN.
I61	Sphincter of Oddi dysfunction, or bile duct abnormalities or strictures.		X	X	X				X	
I62	Congenital anomalies, disease of the spleen. Chronic enlargement of the spleen.		X	X	X				X	
I64	Any abdominal surgery								X	Per Army Regulation 40-501, no jumping for 6 months if going to Army training.
I65	History of small bowel obstruction								X*	New Navy Dive and Navy Special Operations Standards. *Does not apply to SERE, TACP, ALO



		<b>"X" = Standard applies</b>							<b>Comments</b>
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	
<b>Abdominal and Gastrointestinal Disqualifying Conditions</b>									
I66	Presence of gallstones, whether or not symptomatic								X* Any Dive candidate will need waiver; no waiver for trained assets *Does not apply to SERE, TACP, ALO

[RETURN TO TABLE OF CONTENTS](#)

## Section J: Genitourinary & Gynecology USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).

Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).

SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Genitourinary & Gynecology Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
J1	Congenital anomaly, resulting in the need for frequent absences from duty or ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	
J2	Renal transplant.	X	X	X	X	X	X	X	X	
J3	Nephrectomy. When after treatment the remaining kidney, or kidney function, is abnormal.	X	X	X	X	X	X	X	X	See <a href="#">J5</a> .
J4	Nephrostomy or pyelostomy, if permanent or long-term (> 1 year).	X	X	X	X	X	X	X	X	
J5	Absence of one kidney, regardless of cause, when kidney function is normal.		X	X	X				X	
J6	Horseshoe kidney.		X	X	X				X	
J7	Renal ptosis (floating kidney) causing impaired renal drainage, hypertension, or pain.		X	X	X				X	
J8	Calculus in kidney, symptomatic or incapacitating, not amenable to treatment or occurring with frequency that precludes satisfactory performance of duty or requires ongoing specialty follow-up more than annually.	X	X	X	X	X	X	X	X	
J9	<del>History of recurrent or bilateral renal calculus. Uncomplicated single episode of renal calculus does not require waiver, but must be evaluated.</del> History of recurrent renal colic or single episode of renal colic with retained stone(s).		X	X	X	X	X		X	Single episode of renal colic without retained stone(s) is not disqualifying, but all metabolic risk factors for stone formation must be mitigated. Modified 15 May 2020. <a href="#">See AMWG</a>
J10	<del>Retained renal calculus.</del> Incidentally discovered renal stone(s) without history of renal colic.		X	X	X				X	Modified 15 May 2020. <a href="#">See AMWG</a>

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
Genitourinary & Gynecology Disqualifying Conditions										
J11	Cystic kidney (polycystic kidney), when renal function is impaired, or when ongoing specialty f/u more than annually is required.	X	X	X	X	X	X	X	X	
J12	Polycystic kidney disease.		X	X	X				X	
J13	Functional impairment of either or both kidneys.		X	X	X				X	See AMWG
J14	Hydronephrosis, causing continuous or frequent symptoms, or when ongoing specialty f/u more than annually is required.	X	X	X	X	X	X	X	X	
J15	Hydronephrosis or pyonephrosis.		X	X	X				X	
J16	Hypoplasia or other congenital or acquired abnormality of the kidney, associated with elevated blood pressure or frequent infections or reduction in renal function, or when ongoing specialty f/u more than annually is required.	X	X	X	X	X	X	X	X	
J17	Nephritis, chronic, with renal function impairment or when ongoing specialty f/u more than annually is required.	X	X	X	X	X	X	X	X	
J18	Pyelonephritis or pyelitis, chronic, which has not responded to medical or surgical treatment, with evidence of persistent hypertension or reduction in renal function or when ongoing specialty f/u more than annually is required.	X	X	X	X	X	X	X	X	
J19	Chronic pyelitis or pyelonephritis.		X	X	X				X	
J20	Chronic glomerulonephritis or nephrotic syndrome.		X	X	X				X	
J21	Nephrosis (other than mild) or proteinuria, greater than 500mg/24 hours.	X	X	X	X	X	X	X	X	
J22	Proteinuria under normal activity (at least 48 hours post strenuous exercise) greater than 200 mg in 24 hours , or protein to creatinine ratio greater than 0.2 (by random urine sample), or other findings indicative of urinary tract disease unless consultation determines the condition to be benign.		X	X	X				X	See AMWG
J23	Cylindruria, hemoglobinuria or other findings indicative of significant renal disease.		X	X	X				X	
J24	Ureterosigmoidostomy.	X	X	X	X	X	X	X	X	
J25	Ureterostomy. External or cutaneous.	X	X	X	X	X	X	X	X	
J26	Ureterointestinal or direct cutaneous urinary diversion.	X	X	X	X	X	X	X	X	
J27	Urinary diversion.		X	X	X				X	
J28	Ureterocystostomy. When associated with continuous or frequent symptoms or	X	X	X	X	X	X	X	X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Genitourinary &amp; Gynecology Disqualifying Conditions</b>										
	recurrent infections.									
J29	Ureteroplasty, when associated with continuous or frequent symptoms or recurrent infections. When unilateral procedure is unsuccessful and nephrectomy is necessary, consider on the basis of the standard for nephrectomy. When bilateral and surgical repair is unsuccessful and associated with significant complications or sequelae (for example, hydronephrosis, residual obstruction or therapeutically refractive pyelonephritis).	X	X	X	X	X	X	X	X	
J30	Incontinence of urine resulting in the need for self-catheterization, frequent absences from duty, or ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	
J31	Any traumatic, organic, or congenital disorders of the urinary tract of sufficient severity to cause distracting symptoms, require frequent intervention, or interfere with normal functioning.		X	X	X				X	
J32	Urinary fistula.		X	X	X				X	
J33	Acute, recurrent, or chronic urinary tract diseases causing severe symptoms or interfering with normal function, including, but not limited to urethritis and cystitis.		X	X	X				X	
J34	Neurogenic bladder if results in incontinence, the need for self-catheterization, or ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	
J35	Neurogenic bladder.		X	X	X	X		X	X	
J36	Cystitis. When complications or residuals of treatment themselves preclude satisfactory performance of duty or when ongoing specialty f/u more than annually is required.	X	X	X	X	X	X	X	X	
J37	Chronic cystitis.		X	X	X				X	
J38	Cystectomy.	X	X	X	X	X	X	X	X	
J39	Cystoplasty. If reconstruction is unsatisfactory or if refractory symptomatic infections persist.	X	X	X	X	X	X	X	X	
J40	Cystostomy.		X	X	X	X			X	
J41	Chronic or recurrent urethritis or urethral stricture or urethrostomy if they result in incontinence, the need for self-catheterization, frequent absences from duty, or the need for ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	
J42	Stricture of the urethra.		X	X	X				X	
J43	Urethrostomy. External or when a satisfactory urethra cannot be restored.	X	X	X	X	X	X	X	X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Genitourinary &amp; Gynecology Disqualifying Conditions</b>										
J44	Hypospadias. Not amenable to treatment or when ongoing specialty f/u more than annually is required.	X	X	X	X	X	X	X	X	
J45	Epispadias or hypospadias with unsatisfactory surgical correction or with subsequent chronic urinary tract infection, urethral stricture, or voiding dysfunction.		X	X	X				X	
J46	Amputation of penis which results in incontinence, the need for a catheter, or severe mental symptoms.	X	X	X	X	X	X	X	X	
J47	Current or history of chronic scrotal pain or unspecified symptoms associated with male genital organs.		X	X	X				X	
J48	Chronic prostatitis or symptomatic prostatic hypertrophy with urinary retention or abscess of the prostate gland.		X	X	X				X	
J49	Chronic orchitis, or epididymitis, if causing severe symptoms or interferes with normal function.		X	X	X				X	
J50	Gonadectomy, when following treatment and convalescent period, if there remain incapacitating mental or physical symptoms.	X	X	X	X	X	X	X	X	
J51	Undescended testicle. Absence of both testicles.		X	X	X				X	
J52	Large or painful left varicocele. Any right varicocele, unless significant underlying pathology has been excluded.		X	X	X				X	
J53	Hydrocele, unless small and asymptomatic.		X	X	X				X	
J54	All symptomatic congenital abnormalities of the reproductive system.		X	X	X				X	
J55	Any traumatic, organic, or congenital disorders of the genitalia of sufficient severity to cause distracting symptoms, require frequent intervention, or interfere with normal functioning.		X	X	X				X	
J56	Major abnormalities and defects of the genitalia such as hermaphroditism, change of sex, a history thereof, or complications (adhesions, disfiguring scars, etc.), or residual to surgical corrections of these conditions.	X	X	X	X	X	X	X	X	

		“X” = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Genitourinary &amp; Gynecology Disqualifying Conditions</b>										
J57	Pregnancy.		X	X*	X*			X*	X**	Flight surgeons shall educate female pilots during annual PHAs that pregnancy results in being DOWN. Consult waiver guide for specific details. Refer to <a href="#">AFRCI 41-104</a> , Pregnancy of Air Force Reserve Personnel for further guidance on unit assigned reservists. *Pregnancy is not disqualifying for FCI/IA, II, III, and OSF duties. Rather, pregnancy is a temporary DOWN condition. UP status can be achieved in the appropriate setting: not in training, low risk pregnancy, weeks 12-28, non-ejection seat aircraft, with other qualified pilot, up to 10,000 feet (pressurized or naturally). *Missileers – remove from alert duty after 24 weeks gestation or earlier if experiencing significant side effects such as hyperemesis and preeclampsia. Deleted Sep 2019. **Special Warfare – from onset of pregnancy through 6 months post partum results in being DOWN. <a href="#">See AMWG</a>
J58	Chronic salpingitis or oophoritis if resulting in recurrent hospitalization, frequent absences from duty, or the need for ongoing specialist f/u more than annually.	X	X	X	X	X	X	X	X	
J59	Endometriosis, ovarian cysts, or any other type of chronic pelvic pain, when it results in an inability to perform duties, frequent absences from duty, or the need for ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	
J60	History of endometriosis		X						X	
J61	Symptomatic persistent ovarian cysts.		X	X	X				X	
J62	Symptomatic uterine fibroids.		X	X	X				X	<a href="#">See AMWG</a>
J63	Dysmenorrhea, menopausal, premenstrual symptoms, and/or abnormal uterine bleeding leading to inability to perform duties, frequent absences from duty or the need for ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
J64	Abnormal uterine bleeding, including but not limited to menorrhagia, metrorrhagia, polymenorrhea, or amenorrhea, when symptomatic, interferes with performance of duties, or causing other conditions (anemia, osteoporosis, etc.).		X	X	X				X	<a href="#">See AMWG</a>
J65	Malposition of the uterus or vaginal walls (uterovaginal prolapse, cystocele, rectocele), if symptomatic.		X	X	X				X	
J66	Chronic symptomatic vaginitis or vulvitis.		X	X	X				X	

## Section K: Spine and Extremity USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Spine and Extremity Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Spine/Scapulae/Ribs, and Sacroiliac Joints</b>										
K1	Congenital anomalies presenting functional impairment of a degree to preclude the satisfactory performance of duty.	X	X	X	X	X	X	X	X	
K2	Spina bifida, with demonstrable signs and moderate symptoms of root or cord involvement.	X	X	X	X	X	X	X	X	
K3	Spina bifida, when more than one vertebra is involved, if there is dimpling of the overlying skin, or a history of surgical repair for spina bifida.		X	X	X				X	
K4	Coxa vara, more than moderate with pain, deformity and arthritic changes.	X	X	X	X	X	X	X	X	
K5	Herniation of nucleus pulposus, when symptoms and associated objective findings are of such a degree as to require repeated hospitalization, significant duty limitations, or frequent absences from duty.	X	X	X	X	X	X	X	X	
K6	History of frank herniated nucleus pulposus or history of surgery or chemonucleolysis for that condition.		X	X	X				X	<a href="#">See AMWG</a>
K7	Ankylosing spondylitis or other inflammatory spondylopathies, if requiring duty restrictions, frequent absences from duty, ongoing specialty follow-up greater than once per year, or immunomodulators/DMARDs.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
K8	Spondylolysis or spondylolisthesis, when symptoms and associated objective findings are of such a degree as to require repeated hospitalization, duty restrictions or frequent absences from duty.	X	X	X	X	X	X	X	X	
K9	Symptomatic spondylolisthesis or spondylolysis.		X	X	X				X	<a href="#">See AMWG</a>
K10	Deviation or curvature of spine. Scoliosis exceeding 30 degrees lumbar or thoracic curvature, or interfering with function, vocation, or wear of military uniform or equipment. Kyphosis/lordosis exceeding 55 degrees or interfering with function, vocation, or wear of military uniform.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
K11	Lumbar scoliosis of more than 20 degrees or thoracic scoliosis of more than 25 degrees as measured by the Cobb method. Abnormal curvature of the spine of any degree in which there is a noticeable deformity when the examinee is dressed, in which pain or interference with function is present, or which is progressive.		X	X	X				X*	<a href="#">See AMWG</a> *Lateral deviation of tips of vertebral spinous processes more than an inch

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support	Flying Duty Special Warfare Airmen (SWA)	
<b>Spine and Extremity Disqualifying Conditions</b>										
K12	History of disease or injury of the spine or sacroiliac joints, either with or without objective signs, which has prevented the examinee from successfully following a physically active lifestyle or associated with local or referred pain to the extremities, muscular spasms, postural deformities, requires external support, requires frequent treatment, or prevents satisfactory performance of duties.		X	X	X				X	
K14	Granulomatous disease of the spine, active or healed.		X	X	X				X	
K15	Fractures or dislocations of the vertebrae.		X	X	X				X	Note: History of fractures of the transverse or spinous processes is not disqualifying if asymptomatic. <a href="#">See AMWG</a>
K16	Juvenile epiphysitis with any degree of residual change indicated by x-ray or kyphosis.		X	X	X				X	
K17	Weak or painful back requiring external support.		X	X	X				X	
K18	Chronic back or neck pain, regardless of cause, which requires ongoing duty or deployment restrictions for over a year, or ongoing specialist follow-up more than annually, or frequent duty absences, or chronic/recurrent use of controlled medications, schedule II-IV.	X	X	X	X	X	X	X	X	
K19	Recurrent disabling back pain due to any cause.		X	X	X				X	<a href="#">See AMWG</a>
K20	Any surgical spinal fusion.		X	X	X				X	<a href="#">See AMWG</a>
K21	Musculoskeletal, Spine, and Extremities. Any disease, condition, or deformity of the musculoskeletal system, which impairs duty performance or restricts deployments and persists despite appropriate treatment. <del>access to control facilities, is likely to progress, or which requires frequent use of analgesic or anti-inflammatory medication for control.</del>	X	X	X	X	X*	X	X	X	*GBC-ATC: Include if condition may impair access to control facilities, is likely to progress, or requires frequent use of analgesic or anti-inflammatory medication for control. Modified 27 Feb 2020.
<b>Upper Extremities</b>										
K22	Amputation of part or parts of an upper extremity that results in impairment equivalent to the loss of use of a hand.	X	X	X	X	X	X	X	X	
K23	Absence of any segment of the hand or digits.		X	X	X				X	
K24	Resection of a joint other than that of a finger.		X	X	X				X	
K25	Hyperdactylia.		X	X	X				X	
K26	Scars and deformities of the fingers, or hand, which impair circulation, are symptomatic, or impair normal function to such a degree as to interfere with the satisfactory performance of flying/controlling/missile duties.		X	X	X	X			X	



		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Spine and Extremity Disqualifying Conditions</b>										
K27	Healed disease or injury of the wrist, elbow or shoulder with residual weakness or symptoms of such a degree as to interfere with the satisfactory performance of flying duty. Grip strength of less than 75 percent of predicted normal when compared with the normal hand (non-dominant is 80 percent of dominant grip).		X	X	X				X	
K28	Joint ranges of motion, which impairs normal function to such a degree as to interfere with the satisfactory performance of duties and/or do not equal or exceed the following: Shoulder - Forward elevation to 90 degrees. Abduction to 90 degrees.	X	X	X	X	X	X	X	X	
K29	Joint ranges of motion, which impairs normal function to such a degree as to interfere with the satisfactory performance of duties and/or do not equal or exceed the following: Elbow Flexion to 130 degrees. Extension to 45 degrees of flexion.	X	X	X	X	X	X	X	X*	*See AR 40-501 2-9 for more specific Upper Extremity ROM measurements for Jump and Free Fall.
K30	Shoulder limitation of motion which precludes performance of duty.		X	X	X				X	
K31	Chronic dislocation of the shoulder or elbow, when not reparable or when surgery is contraindicated.	X	X	X	X	X	X	X	X	
K32	Recurrent shoulder instability.		X						X	
<b>Lower Extremities</b>										
K33	Recurrent hip or knee dislocation.	X	X	X	X	X	X	X	X	
K34	Verified history of hip dislocation within 2 years of examination, or degenerative changes on X-ray from old hip dislocation.		X	X	X				X	
K35	Verified history of congenital dislocation of the hip, osteochondritis of the hip (Legg-Perthes disease), or slipped femoral epiphysis of the hip with X-ray evidence of residual deformity or degenerative changes.		X	X	X				X	
K36	Joint ranges of motion, which do not equal or exceed the following: Hip: Flexion to 90 degrees. Extension to 0 degrees.	X	X	X	X	X	X	X	X*	*See AR 40-501 2-10 for more specific Lower Extremity ROM measurements for Jump and Free Fall.
K37	Internal derangement of the knee, if results in ongoing duty or deployment limitations for over a year, or requires ongoing specialist f/u more than annually, or causes frequent absences from duty.	X	X	X	X	X	X	X	X	
K38	Weak knee. Dislocation of semilunar cartilages or loose foreign bodies within the knee joint; or residual instability of the knee ligaments; or significant atrophy or weakness of the thigh musculature in comparison with the normal side; or limited range of motion or other symptoms of internal derangement; or a condition which would interfere with the performance of flying/controller duties.		X	X	X	X			X	
K39	Shortening of an extremity which exceeds 5 centimeters (2 inches).	X	X	X	X	X	X	X	X	
K40	Difference in leg length of more than 2.5 centimeters (from anterior superior iliac spine to the distal tip of the medial malleolus).		X	X	X				X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Spine and Extremity Disqualifying Conditions</b>										
K41	Joint ranges of motion, which do not equal or exceed the following: Knee: Flexion to 90 degrees. Extension to 15 degrees.	X	X	X	X	X	X	X	X*	*See AR 40-501 2-10 for more specific Lower Extremity ROM measurements for Jump and Free Fall.
K42	Chondromalacia or Osteochondritis dissecans if results in ongoing duty or deployment limitations for over a year, or requires ongoing specialist f/u more than annually, or causes frequent absences from duty.	X	X	X	X	X	X	X	X	
K43	Osteochondritis dissecans of the knee, or ankle, if there are X-ray changes.		X	X	X				X	
K44	Chondromalacia, if symptomatic, or there is verified history of joint effusion, interference with function, or residuals from surgery.		X	X	X				X	
K45	Osteochondritis of the tibial tuberosity (Osgood-Schlatter disease), if symptomatic, or with obvious prominence of the part, and X-ray evidence of separated bone fragments.		X	X	X				X	
K46	Limitation of motion in lower extremity that interferes with ability to emergency egress or perform duties.		X	X	X	X			X	
K47	Amputation of a toe or toes that precludes the ability to run or walk without a perceptible limp or to perform duty in a satisfactory manner.	X	X	X	X	X	X	X	X	
K48	Any loss or amputation greater than <a href="#">K49</a> to include foot, leg, or thigh.	X	X	X	X	X	X	X	X	
K49	Amputation or absence of any portion of the foot, or lower extremity, in excess of 1 of the 2nd through 5th toes.		X	X	X				X	
K50	Hallux valgus if results in ongoing duty or deployment limitations for over a year, or requires ongoing specialist f/u more than annually, or causes frequent absences from duty, or prevents the wear of required military footwear.	X	X	X	X	X	X	X	X	
K51	Plantar fasciitis or pes planus, if results in ongoing duty or deployment limitations for over a year, or requires ongoing specialist f/u more than annually, or causes frequent absences from duty, or prevents the wear of required military footwear.	X	X	X	X	X	X	X	X	
K52	Rigid or spastic flatfoot, symptomatic flatfoot, tarsal coalition.		X	X	X				X	
K53	Talipes cavus when severe, with moderate discomfort on prolonged standing and walking, metatarsalgia, or which prevents the wearing of military shoe footwear.	X	X	X	X	X	X	X	X	
K54	Elevation of the longitudinal arch (pes cavus), if of enough degree to cause subluxation of the metatarsal heads and clawing of the toes. Obliteration of the transverse arch associated with permanent flexion of the small toes.		X	X	X				X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Spine and Extremity Disqualifying Conditions</b>										
K55	Clubfoot of any degree.		X	X	X				X	
K56	Weak foot with demonstrable eversion of the foot, valgus of the heel, or marked bulging of the inner border due to inward rotation of the talus regardless of the presence or absence of symptoms.		X	X	X				X	
K57	Any condition, disease, or injury to the lower extremities, feet or toes which results in disabling pain, distracting discomfort, inability to satisfactorily perform military duties, or if results in ongoing duty or deployment limitations for over a year, or requires ongoing specialist f/u more than annually, or causes frequent absences from duty, or prevents the wear of required military footwear.	X	X	X	X	X	X	X	X	
K58	Toes-stiffness which interferes with walking, marching, running, or jumping.		X	X	X				X	
<b>Fractures of Extremities</b>										
K59	Malunion when, after appropriate treatment, there is severe malunion with marked deformity or more than moderate loss of function.	X	X	X	X	X	X	X	X	
K60	Malunited fractures which interfere significantly with function.		X	X	X	X				
K61	Nonunion when, after an appropriate healing period, the nonunion persists with severe loss of function.	X	X	X	X	X	X	X	X	
K62	Symptomatic nonunion of fractures.		X	X	X				X	
K63	Callus, excessive, following fracture, when functional impairment precludes satisfactory performance of duty and the callus does not respond to adequate treatment.	X	X	X	X	X	X	X	X	
<b>Joints</b>										
K64	Arthroplasty, with severe pain, limitation of motion, and/or limitation of function, if results in ongoing duty or deployment limitations for over a year, or requires ongoing specialist f/u more than annually, or causes frequent absences from duty.	X	X	X	X	X	X	X	X	
K65	Joint replacement or joint prosthesis if results in ongoing duty or deployment limitations for over a year, or requires ongoing specialist f/u more than annually, or causes frequent absences from duty.	X	X	X	X	X	X	X	X	
K66	Bony or fibrous ankylosis, with severe pain involving major joints or spinal segments, or ankylosis in unfavorable positions or ankylosis with marked loss of function.	X	X	X	X	X	X	X	X	
K67	Contracture with marked loss of function and the condition is not remediable by surgery.	X	X	X	X	X	X	X	X	
K68	Loose bodies within a joint with marked functional impairment complicated by arthritis to such a degree as to preclude favorable results of treatment.	X	X	X	X	X	X	X	X	
K69	Demonstrable loose body in any joint (includes osteocartilaginous or metallic foreign objects).		X	X	X				X	
K70	Joint replacement.		X	X	X				X	<a href="#">See AMWG</a>

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Spine and Extremity Disqualifying Conditions</b>										
K71	Instability of a major joint, if symptomatic and more than mild, or if subsequent to surgery there is evidence of instability, weakness, or significant atrophy.		X	X	X				X	
K72	Unreduced dislocation; substantiated history of recurrent dislocations or subluxations of a major joint, if not satisfactorily corrected.		X	X	X				X	
<b>Miscellaneous</b>										
K73	Arthritis due to infection associated with persistent pain and marked loss of function, with X-ray evidence, and documented history of recurrent incapacitation.	X	X	X	X	X	X	X	X	
K74	Arthritis of any type of more than minimal degree, which interferes with the ability to follow a physically active lifestyle, or may reasonably be expected to preclude the satisfactory performance of duties.	X	X*	X*	X*	X	X	X	X	*Note: Flyers must be able to perform their duties to include evade.
K75	Arthritis due to trauma, when surgical treatment fails or is contraindicated and there is functional impairment of the involved joint so as to preclude satisfactory performance of duty.	X	X	X	X	X	X	X	X	
K76	Osteoarthritis, with severe symptoms associated with CHRONIC impairment of duty performance or deployability, or chronic/recurrent need for controlled medications, schedule II-IV, or need for ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	
K77	Rheumatoid arthritis or rheumatoid myositis.	X	X	X	X	X	X	X	X	
K78	Flaccid or spastic paralysis or loss of substance of one or more muscles, producing loss of function, which precludes satisfactory performance of military duty.	X	X	X	X	X	X	X	X	
K79	Muscular paralysis, paresis, contracture, or atrophy, if progressive, or of sufficient degree to interfere with the performance of their duties or deployability.	X	X	X	X	X	X	X	X	
K80	Myotonia congenita, significantly symptomatic.	X	X	X	X	X	X	X	X	
K81	Myotonia congenita.		X	X	X				X	
K82	Any retained orthopedic fixation device that interferes with function or easily subject to trauma.		X	X	X				X	
K83	Osteitis deformans. Involvement of single or multiple bones with resultant deformities, or symptoms severely interfering with function.	X	X	X	X	X	X	X	X	
K84	Osteoarthropathy. Hypertrophic, secondary, with severe pain in one or multiple joints and with moderate loss of function.	X	X	X	X	X	X	X	X	
K85	Osteomyelitis, chronic. Recurrent episodes not responsive to treatment or involving the bone to a degree that interferes with stability and function.	X	X	X	X	X	X	X	X	
K86	Active osteomyelitis, or a verified history of osteomyelitis, unless inactive with no recurrence during the 2 years before examination, and without residual deformity sufficient to interfere with function.		X	X	X				X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support	Flying Duty Special Warfare Airmen (SWA)	
<b>Spine and Extremity Disqualifying Conditions</b>										
K87	Osteoporosis interferes with wear of required deployment equipment or requires ongoing specialist f/u more than annually.	X	X	X	X	X	X	X	X	
K88	Osteopenia or Osteoporosis.		X	X	X				X	<a href="#">See AMWG</a>
K89	Osteochondromatosis or multiple cartilaginous exostoses.		X	X	X				X	
K90	Disease or injury, or congenital anomaly of any bone or joint, with residual deformity, instability, pain, rigidity, or limitation of motion, if function is impaired to such a degree it interferes with training, physically active lifestyle, or flying/controlling/missile duties.		X	X	X	X	X		X	
K91	Synovitis with persistent swelling or limitation of motion.		X	X	X					
K92	Osteonecrosis.		X	X	X				X	
K93	Bone fusion defect when manifested by severe pain or loss of function.	X	X	X	X	X	X	X	X	
K94	Tendon transplant. Unsatisfactory restoration of function.	X	X	X	X	X	X	X	X	
K95	Scars, extensive, deep or adherent to the skin and soft tissues or neuromas of an extremity which are painful, interfere with movement, preclude the wearing of equipment, or show a tendency to breakdown.		X	X	X				X	
K96	Symptomatic amputation stump (neuroma, bone spur, adherent scar or ulceration).		X	X	X				X	
K97	A history of a single episode of rhabdomyolysis that is idiopathic in nature or determined to be caused by an underlying metabolic or endocrine abnormality OR a history of recurrent rhabdomyolysis of any cause.	X	X	X	X	X	X	X	X*	*Any history of rhabdomyolysis-Deleted 10 Sep 2019
K98	Requirement for any medication, brace, prosthesis, or other appliance to achieve normal function.								X	Orthotic shoe inserts are permitted.
K99	Fibromyalgia, requiring regular use of controlled medications, scheduled II-IV, or requiring frequent follow up or duty restrictions.	X	X	X	X	X	X	X	X	

[RETURN TO TABLE OF CONTENTS](#)

## Section L: Neurologic USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Neurologic Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
L1	Amyotrophic lateral sclerosis or related motor neuron diseases.	X	X	X	X	X	X	X	X	
L2	Myelopathic muscular atrophy.	X	X	X	X	X	X	X	X	
L3	Progressive muscular atrophy, including residuals of poliomyelitis.	X	X	X	X	X	X	X	X	
L4	Chorea. Chronic and progressive, to include Huntington's disease and non-inherited chorea disorders.	X	X	X	X	X	X	X	X	
L5	Tremors, dystonia, or other movement disorders which could interfere with normal function.	X	X	X	X	X	X	X	X	
L6	Other inherited degenerative central nervous system disorders.	X	X	X	X	X	X	X	X	
L7	Hereditary or acquired ataxia.	X	X	X	X	X	X	X	X	
L8	Hepatolenticular degeneration (Wilson's disease).	X	X	X	X	X	X	X	X	
L9	Personal or family history (second degree relative or closer) of hereditary neurologic or muscular diseases, such as neurofibromatosis, Huntington's disease, hepatolenticular degeneration, acute intermittent porphyria, spinocerebellar ataxia, neuropathy, myopathy or familial periodic paralysis, or disorders affecting the cerebrum, cerebellum, spinal cord, or peripheral nerves.		X	X	X				X	
L10	Degenerative processes, including but not limited to: Parkinson's disease, Parkinsonian syndromes, basal ganglia disorders, muscular dystrophy, or other chronic myopathies.	X	X	X	X	X	X	X	X	
L11	Demyelinating processes, including but not limited to: Multiple sclerosis, transverse myelopathy, or neuromyelitis optica.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
L12	Syringomyelia or other congenital malformations of the central nervous system.	X	X	X	X	X	X	X	X	
L13	Dementia, Alzheimer's disease, or other permanent or progressive cognitive impairment.	X	X	X	X	X	X	X	X	
L14	Unexplained or recurrent syncope.	X	X	X	X	X	X	X	X	<a href="#">See H7</a>

		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
<b>Neurologic Disqualifying Conditions</b>										
L15	Disturbances of consciousness (not due to head injury), or history of any medically unexplained disturbance of consciousness or where surgical intervention was necessary to correct the precipitating cause. *EXCEPTIONS: An isolated episode of neurocardiogenic or vasovagal syncope associated with venipuncture or prolonged standing (in military formation or similar benign precipitating event), lasting less than 1 minute in duration, followed by rapid and complete recovery, and neurological and cardiovascular evaluation by a flight surgeon reveals no abnormalities. Physiological loss of consciousness (LOC) caused by reduced oxygen tension, general anesthesia, or other medically induced LOC (excluding vasovagal syncope) provided there is full recovery without sequelae. G-induced loss of consciousness (G-LOC) during a centrifuge run (unless there are neurologic sequelae, or evidence that the G-LOC occurrence is associated with coexistent disease or anatomic abnormality). Inflight G-LOC caused by an improperly performed anti-G straining maneuver, or anti-G protective gear malfunction, with no physiologic abnormalities detected by flight surgeon on post-incident examination.		X	X	X	X	X		X	<a href="#">See AMWG</a>
L16	Seizure/epilepsy, when not clearly provoked by an extrinsic factor (such as medication), whether anti-seizure medication is started or not. Note: For ARC members initiate WWD within 90 days of initial event (refer to ARC supplements). Note: Seizures following omission of prescribed medication or ingestion of alcoholic beverages are not indicative of the controllability of the disorder.	X	X*	X*	X*	X*	X*	X*	X*	*Seizures associated with febrile illness before age 5, with normal EEG, or post-traumatic seizures may be eligible for waiver. <a href="#">See AMWG.</a>
L17	Seizure or convulsions provoked by trauma or extrinsic factors, including medication-related adverse effects, such as that seen with (but not limited to) Tramadol, Bupropion, Zolpidem.	X	X	X	X	X	X	X	X	Note: Retention determination to be made on case by case basis with Neurology Consultant to AF/SG or Consultant-designated specialist. <a href="#">See AMWG</a>
L18	Truly epileptiform abnormalities to include generalized, lateralized, or focal spikes, sharp waves, spike-wave complexes, and sharp and slow wave complexes during alertness, drowsiness, or sleep are disqualifying. Generalized, lateralized, or focal continuous polymorphic delta activity or intermittent rhythmic delta activity (FIRDA or OIRDA) during the alert state is disqualifying, unless the etiology of the abnormality has been identified and determined not to be a disqualifying disorder. Benign transients such as Small Sharp Spikes (SSS) or Benign Epileptiform Transients of Sleep (BETS), wicket spikes, 6 Hertz (Hz) (phantom) spike and wave, rhythmic temporal theta of drowsiness (psychomotor variant), and 14 and 6Hz positive spikes are not disqualifying.		X	X	X	X	X		X	<a href="#">See AMWG</a>

		"X" = Standard applies							Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	
<b>Neurologic Disqualifying Conditions</b>									
L19	Migraine and other headache disorders manifested by attacks requiring frequent absences from duty, mobility restrictions, or frequent specialty followup.	X	X	X	X	X	X	X	X
L21	History of the following types of headaches: a single incapacitating headache of any type (e.g., associated with loss or alteration of consciousness, aphasia, diplopia, vertigo, paralysis, or other systemic symptoms). History of migraine or its variants, to include acephalgic or ocular migraine. Recurrent headaches of migraine, cluster, or any other types that impair social, vocational, operational, or academic activities, or require prescription medications for management.		X	X	X	X	X	X	<a href="#">See AMWG.</a>
L22	Narcolepsy, cataplexy, and similar states.	X	X	X	X	X	X	X	<a href="#">See G5</a> for OSA.
L23	Clinical sleep disorders that cause sleep disruption resulting in excessive daytime somnolence or interfere with duty performance. These include, but are not limited to, restless leg syndrome, periodic limb movements of sleep, insomnias, hypersomnias, parasomnias, narcolepsy or the requirement for any chronic medication to maintain wakefulness	X	X	X	X	X	X	X	<p>-All dx of central hypersomnia (narcolepsy, idiopathic hypersomnia, etc.) must be made using current ICSD criteria at an AASM accredited sleep center at a Military Treatment Facility by a board certified sleep physician.</p> <p>-All dx of central hypersomnia must be made using actigraphy for 2 weeks (demonstrating adequate (&gt;7h/night), consistent sleep and no other explanation for excessive daytime sleepiness) immediately prior to overnight PSG/Multiple Sleep Latency Test (MSLT) performed in accordance with AASM Recommendations.</p> <p>-OSA must be ruled out (AHI&lt;5) or adequately treated (adherence to therapy confirmed and residual AHI&lt;5 demonstrated on overnight PSG prior to MSLT) to make a dx of central hypersomnia</p> <p>-Evaluation must include limited duty (TDY to MTF is highly encouraged if outside catchment area) during actigraphy period.</p> <p>-Patients must be weaned off of sedating medications and stimulant medications for a minimum of 2 weeks prior to PSG/MSLT and should be weaned off antidepressants for 2 weeks prior to PSG/MSLT if clinically able/stable.</p> <p>-For AFRC members, above diagnostic criteria is preferred, but not mandated if unable to obtain.</p> <p><a href="#">See AMWG.</a></p>



		"X" = Standard applies							Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	
<b>Neurologic Disqualifying Conditions</b>									
L24	Peripheral and cranial nerve injuries or conditions such as: Neuralgia, neuritis, radiculopathy or neuropathy, when symptoms are severe, persistent, and do not respond to treatment. Neuritis or paralysis due to peripheral or cranial nerve injury, when manifested by more than moderate, permanent functional impairment. Paralysis, weakness, lack of coordination, sensory disturbance or other specified paralytic syndromes.	X	X	X	X	X	X	X	
L25	Any current or history of peripheral or cranial neuritis, neuralgia, or neuropathy, unless the condition has completely subsided (with no residual effects with no chronic functional deficits) and the cause has been determined to be of no future aeromedical concern.		X	X	X	X	X	X	Modified 27 Feb 2020.
L26	Polyneuritis, whatever the etiology, unless: Limited to a single episode, the acute state subsided at least 1 year before examination, there are no residual effects which could be expected to interfere with normal function in any practical manner.		X	X	X	X	X		
L27	Traumatic brain injury when after adequate treatment, there remain persistent post-traumatic sequelae including but not limited to: focal neurological signs, headache, vomiting, weakness or paralysis of important muscle groups, deformity, incoordination, pain or sensory disturbance, disturbance of consciousness, speech disturbance, disorientation, spatial disequilibrium, impaired memory, poor mental concentration, shortened attention span, dizziness, altered sleep patterns, any other findings consistent with encephalopathy, or personality changes of such a degree as to definitely interfere with the performance of duty.	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
L28	History of head injuries associated with any of the following are not waivable: Penetrating injury. Post-traumatic seizures (exception: seizures at the time of injury). Loss of over 25 cc brain volume on imaging studies. Persistent neurological deficits indicative of significant parenchymal CNS injury, such as hemiparesis or hemianopsia. Evidence of permanent impairment of higher intellectual functions or alterations of personality as a result of injury. Cerebrospinal fluid shunts.		X	X	X	X	X	X	Head trauma with no loss of consciousness, amnesia, or abnormal findings on examination, does not require waiver.
L29	History of mild head injury. LOC or amnesia < 30 minutes loss of consciousness or amnesia, with normal clinical examination and brain MRI, may be considered for waiver after 1 month.		X	X	X	X*	X*	X*	*No waiver required when member is asymptomatic (within 30 days of injury) and has normal neurological examination. <a href="#">See AMWG</a> . Modified 27 Feb 2020.
L30	History of moderate head injury. LOC or amnesia with > 30 minutes but < 24 hours loss of consciousness or amnesia, or non-displaced skull fracture; normal MRI, may be considered for waiver after 6 months.		X	X	X	X	X	X	<a href="#">See AMWG</a>

		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
<b>Neurologic Disqualifying Conditions</b>										
L31	Severe (LOC or amnesia > 24 hours; normal MRI or MRI demonstrating inconsequential hemorrhage or evidence of diffuse axonal injury or hemosiderin deposition/plugs, presence of subdural hematoma or brain contusion; penetrating head injury, or MRI demonstrating more significant abnormalities).		X	X	X	X	X		X	<a href="#">See AMWG</a>
L32	Developmental venous anomaly, capillary telangiectasia or other low-pressure cerebrovascular anatomic findings.		X	X	X	X	X		X	
L33	History of diagnostic or therapeutic craniotomy, or any procedure involving penetration of the dura mater or the brain substance including ventricular-peritoneal shunts, evacuation of hematomas, and brain biopsy.		X	X	X	X	X		X	
L34	Leptomeningeal cysts, pneumocephalus, or arteriovenous fistula.		X	X	X	X	X		X	
L35	Intracranial, meningeal, or other neurologic benign or malignant neoplasm.	X	X	X	X	X	X	X	X	<a href="#">See D17, L36.</a>
L36	History of benign or malignant neoplasms of the brain, pituitary gland, spinal cord, or their coverings.		X	X	X				X	<a href="#">See D17, L35.</a>
L37	History or evidence of such defects as basilar invagination, hydrocephalus, premature closure of the cranial sutures, meningocele, and cerebral or cerebellar agenesis, if there is evidence of impairment of normal functions, or if the process is expected to be progressive.	X	X	X	X	X	X	X	X	
L38	Infectious diseases of the central nervous system, including, but not limited to meningitis, encephalitis, neurosyphilis, or brain abscess.		X	X	X	X	X		X	<a href="#">See AMWG</a>
L39	Stroke, transient ischemic attack, hemodynamically significant cerebrovascular arteriosclerosis, intracranial thrombosis, subarachnoid hemorrhage, parenchymal hemorrhage, other intracranial hemorrhages, cerebrovascular aneurysm, arteriovenous malformation, arteriovenous fistula or cavernous hemangioma. . *For FC I/IA, FC II, RPA Pilot and FCIII also includes history of the above.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
L40	History of evidence of immune-related disorders such as myasthenia gravis, Lambert-Eaton myasthenic syndrome, autoimmune disorders or paraneoplastic conditions with neurologic dysfunction.	X	X	X	X	X	X	X	X	
L41	Evidence or history of involvement of the nervous system by a toxic, metabolic or disease process, if there is any indication such involvement is likely to interfere with prolonged normal function in any practical manner, is progressive or recurrent, or if there is a significant neurological residual which would interfere with aviation/controlling/chamber duties.		X	X	X	X	X		X	
L42	Other neurological conditions. Any other neurological condition, regardless of etiology, when after adequate treatment, there remain residuals, such as persistent severe headaches, weakness or paralysis of important muscle groups, deformity, incoordination, pain or sensory disturbance,	X	X	X	X	X	X	X	X	

		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
<b>Neurologic Disqualifying Conditions</b>										
	disturbance of consciousness, speech, or mental defects, or personality changes of such a degree as to definitely interfere with the performance of duty.									
L43	Decompression sickness (DCS) or air embolism with neurologic involvement by history, physical examination or evidence of structural damage on imaging studies. Hypobaric chamber-induced neurologic DCS with symptom resolution within 2 weeks does not require waiver for UP status.		X	X	X			X	X	<a href="#">See AMWG</a>
L44	Any condition which requires an implanted and retained ventricular-peritoneal shunt or spinal cord stimulator.	X	X	X	X	X	X	X	X	

[RETURN TO TABLE OF CONTENTS](#)

## Section M: Endocrinology and Metabolic USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Endocrine and Metabolic Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
M1	Acromegaly.	X	X	X	X	X	X	X	X	
M2	Adrenal hyperfunction not responding to therapy or when requiring ongoing specialty f/u more than annually.	X	X	X	X	X	X	X	X	
M3	Adrenal insufficiency or Addison's Disease.	X	X	X	X	X	X	X	X	
M4	Adrenal dysfunction of any degree including pheochromocytoma.		X	X	X	X			X	
M5	Diabetes insipidus.	X	X	X	X	X	X	X	X	
M6	Diabetes mellitus, type 1 or type 2, including diet controlled and those requiring insulin or oral hypoglycemic drugs. Note: Gestational diabetes is not specifically disqualifying; however, these aircrew members are at increased risk of subsequent development of diabetes mellitus and should be closely followed.	X	X	X	X	X	X	X	X	<a href="#">See AMWG.</a>
M7	Persistent glucosuria from any cause, including fasting renal glucosuria is disqualifying. Glucosuria post-prandially, or during glucose loading challenge, is not disqualifying in the absence of any renal disease, or history of recurrent genitourinary infections. However, this finding requires evaluation.		X						X	
M8	Gout, with frequent acute exacerbations in spite of therapy, or with severe bone, joint, or kidney damage.	X	X	X	X	X	X	X	X	<a href="#">See AMWG.</a>
M9	Gout.		X	X	X				X	<a href="#">See AMWG.</a>
M10	Hyperinsulinism, when caused by a malignant tumor, or when the condition is not readily controlled.	X	X	X	X	X	X	X	X	
M11	Hyperinsulinism, confirmed, symptomatic.		X	X	X	X			X	
M12	Hyperparathyroidism, when residuals or complications are present, or when requiring ongoing specialty follow-up more than annually.	X	X	X	X	X	X	X	X	
M13	Parathyroid dysfunction.		X	X	X	X			X	
M14	Hyperthyroidism, hypothyroidism, with objective evidence, with severe symptoms that do not resolve with treatment or when requiring ongoing specialty follow-up more than annually.	X	X	X	X	X	X	X	X	
M15	Hyperthyroidism, hypothyroidism, or thyroiditis requiring maintenance medication, <b>ablation</b> , or surgery for control of hormone levels and/or symptoms.		X	X	X	X			X	<a href="#">See AMWG.</a> Modified 15 May 2020
M17	Subclinical hyperthyroidism. <b>Thyrotoxicosis.</b>		X	X	X				X	Modified 15 May 2020

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Endocrine and Metabolic Disqualifying Conditions</b>										
M18	Osteomalacia, when residuals after therapy are of such degree or nature as to limit physical activity to a significant degree.	X	X	X	X	X	X	X	X	
M19	Adiposogenital dystrophy (Frohlich's syndrome).		X	X	X				X	
M20	Cretinism.	X	X	X	X	X	X	X	X	
M21	Goiter, if associated with pressure symptoms, thyroid dysfunction, or if enlargement is of such degree as to interfere with wearing of a military uniform or military equipment.		X	X	X	X			X	
M22	Pituitary dysfunction, hyper/hypopituitarism.		X	X	X	X			X	
M23	Myxedema, spontaneous or postoperative, with clinical manifestations.		X	X	X	X			X	
M24	Nutritional deficiency diseases (including beriberi, pellagra, and scurvy) which are more than mild and not readily amenable to therapy, or in which permanent pathological changes have been established.		X	X	X				X	
M25	Porphyria.	X	X	X	X	X	X	X	X	
M26	Other endocrine or metabolic disorders which obviously preclude satisfactory performance of military service, or which require frequent or prolonged treatment. Including (but not limited to) cystic fibrosis, porphyria, amyloidosis. Excludes treatment for hypogonadism (for retention purposes; flying waiver still required).	X	X	X	X	X	X	X	X	
M27	Hypercholesterolemia requiring use of medication other than single approved statin or resin binder for control, or requiring multiple medications for control. See "Official Air Force Aerospace Medicine Approved Medications".		X	X	X					<a href="#">See AMWG</a>
M28	Any confirmed (repeated) serum fasting LDL cholesterol in excess of 190 mg/dl in association with one or no cardiac risk factor, or in excess of 160 mg/dl in association with two or more cardiac risk factors.		X							
M30	Hypoglycemia from any endogenous source.		X	X	X	X	X		X	
M31	Any medical condition which requires chronic (greater than 6 months) exogenous hormone therapy. Standard dose contraceptives for birth control, abnormal uterine bleeding, thyroid replacement, and hormone treatments for menopause or PCOS treatments, and hormones for menopause treatment are not disqualifying. <del>do not require an L-RILO.</del>		X	X	X	X		X	X	See <a href="#">J59</a> , <a href="#">J61</a> , <a href="#">J63</a> , <a href="#">M14</a> , <a href="#">M15</a> . See <a href="#">J59</a> - <a href="#">J64</a> Modified 15 May 2020.

[RETURN TO TABLE OF CONTENTS](#)

## Section N: Blood, Blood Forming and Tissue USAF Medical Serial Profile Annotation

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).

Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).

SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Hematological Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Blood and Blood-Forming Tissue Disease</b>										
N1	Anemia (hereditary, acquired, aplastic, or unspecified), symptomatic or when response to therapy is unsatisfactory, or when therapy requires more than annual Hematologist follow-up.	X	X	X	X	X*	X	X	X	*For certification of GBC ATC, any anemia must be evaluated. For the purposes of this instruction anemia is defined as in N2. If evaluation shows no etiology and service members is asymptomatic no aeromedical waiver is required. Modified 27 Feb 2020.
N2	Anemia of any etiology. For purposes of this instruction, anemia is defined as hematocrit values less than 40 for men or 35 for women. Minor, asymptomatic nutrition-related anemia that fully responds to vitamin supplementation does not require a waiver.		X	X	X				X	<a href="#">See AMWG</a>
N3	Leukopenia or agranulocytosis, chronic, when response to therapy is unsatisfactory, or when therapy requires more than annual Hematologist follow-up.	X	X	X	X	X	X	X	X	White blood cell counts must fall within the range of 3,500 to 12,000 cells/mm <sup>3</sup> --counts in the range of 750 to 3,500 cells/mm <sup>3</sup> must be fully evaluated.
N4	Myeloproliferative disorders, to include, but not limited to polycythemia vera, essential thrombocytosis, or primary myelofibrosis.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
N5	Hemolytic disease, chronic, symptomatic or with recurrent crises.	X	X	X	X	X	X	X	X	
N6	Polycythemia, symptomatic or requiring treatment.	X	X	X	X	X	X	X	X	Note: Regardless of symptoms or need for treatment, persistently elevated hemoglobin levels (>16.0 g/dL in women or 16.5g/dL in men) or hematocrit (>48% in women or 49% in men) must be clinically evaluated for the purposes of identifying polycythemia vera or other disqualifying conditions. If member requires phlebotomy to maintain these levels of HCT, member does not meet standard.

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Hematological Disqualifying Conditions</b>										
N7	Hemorrhagic disorders and coagulopathies and vasculitides to include, but not limited to idiopathic thrombocytopenia, Henoch-Schonlein Purpura, or Von Willebrand's Disease.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
N8	Other thromboembolic disease, if recurrent, or when response to therapy is unsatisfactory, or when prolonged anticoagulation therapy (greater than 6 months) is required. Venous thromboembolism: Two or more episodes of deep vein thrombosis, single episode of pulmonary embolism, and/or when extended anticoagulation is required.	X	X	X	X	X	X	X	X	<a href="#">See L39 for CVA &amp; TIA</a> <a href="#">See G26 for PE</a> Modified 15 May 2020
N9	Any thromboembolic event other than minimally symptomatic superficial. Venous thromboembolism: single episode of deep vein thrombosis.		X	X	X	X			X	Modified 15 May 2020
N10	Thrombocytopenia or thrombocytosis. Platelet counts less than 100,000/mm <sup>3</sup> or greater than 400,000 mm <sup>3</sup> are disqualifying and must be evaluated. Transient elevation of platelet counts due to acute illness (acute phase reactant) is not disqualifying.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
N11	Platelet dysfunctions.	X	X	X	X	X	X	X	X	
N12	All lymphomas, including mycosis fungoides and Sezary syndrome.	X	X	X	X	X	X	X	X	
N13	Plasma cell dyscrasias; to include but not limited to multiple myeloma and macroglobulinemia.	X	X	X	X	X	X	X	X	
N14	Other hematological diseases when response to therapy is unsatisfactory or when therapy is prolonged or requires intense medical supervision such as use of anticoagulants or antiplatelet agents other than aspirin or persantine.	X	X	X	X	X	X	X	X	
N15	Sickle cell disease, history of symptoms/complications attributable to sickle cell trait, and other heterozygous sickling disorders. Note: asymptomatic sickle cell trait is not disqualifying.	X	X	X	X	X	X	X	X	A one-time certification, by the proper certification authority in AFI 48-123 is required for all flying personnel and flying training applicants with sickle cell trait after evaluation outlined in the Aerospace Medicine Waiver Guide. <a href="#">See AMWG</a>
N17	Loss of 500 mL or more of blood (includes blood donation, plasma donation, and platelet phoresis) requires DOWN as noted.		X1	X1	X1	X2	X**	X1	X2	X1 = 72 hour DOWN X2 = 8 hour DOWN (FS not required) X3 = 4 hour DOWN (FS not required) **GBO, RPA Pilot/ATC = X2, RPA SO/MOD = X3 Modified 27 Feb 2020. <a href="#">See AMWG</a>
N18	Immunotherapy, current.		X*	X*	X*	X*	X*		X*	Aircrew/SOD will not deploy on immunotherapy. X* = After ground trial complete, 4 hour verbal

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Hematological Disqualifying Conditions</b>										
										DOWN for each injection.
N19	Bone marrow donation or biopsy.		X	X	X	X	X		X	No waiver required. DOWN until able to be UP per waiver guide. <a href="#">See AMWG</a>
N20	Generalized lymphadenopathy, transient splenomegaly, until the cause is corrected.		X	X	X				X	
N21	Hemoglobinopathies and thalassemia.		X	X	X				X	<a href="#">See AMWG</a>
N22	Homozygous hemoglobin abnormalities.		X	X	X				X	
N23	Chronic systemic inflammatory or auto-immune diseases not otherwise listed.	X	X	X	X	X	X	X	X	
N24	Splenectomy, or absence of spleen, regardless of cause, congenital anomalies or diseases of the spleen.	X*	X	X	X	X	X	X	X	<a href="#">See AMWG</a> *So that ALC code is applied and proper precautions employed prior to deployment.
N25	Splenomegaly, chronic, inoperable.	X	X	X	X	X	X	X	X	
N26	Hodgkin's Disease.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
N27	Immunodeficiency.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a> for HIV specifics.

[RETURN TO TABLE OF CONTENTS](#)



## Section O: Tumors and Malignancies USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).  
 Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).  
 SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Tumor and Malignancy Disqualifying Conditions		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
O1	Malignant Neoplasms. All malignant neoplasms (i.e. cancer) require I-RILO processing. (Basal cell or squamous cell carcinomas of the skin, and cervical carcinomas-in-situ, after surgical cure are exempt from this requirement if no sequelae.)	X	X	X	X	X	X	X	X	Normally this is accomplished once a prognosis has been established, but under no circumstances should an I-RILO be delayed more than 90 days after the start of treatment.
O2	Benign neoplasms only when the condition prevents the satisfactory performance of duty OR the condition is not remediable, OR a remedial treatment is refused, OR ongoing specialty follow-up is required more than annually.	X	X	X	X	X	X	X	X	Note: Basal cell and squamous cell skin carcinomas which have been adequately excised (as evidenced by pathology report, or basal cell carcinoma which have been treated with electrodesiccation and curettage by a dermatologist credentialed to perform this procedure) are exempted from Tumor Board Action and do not require MEB.
O3	Leukemia, lymphoma, or other neoplastic conditions of lymphoid or blood-forming tissues require I-RILO processing.	X	X	X	X	X	X	X	X	Normally this is accomplished once a prognosis has been established, but under no circumstances should an I-RILO be delayed more than 90 days after the start of treatment. See <a href="#">AMWG</a> .
O4	Carcinoma-in-situ of the cervix, when the condition prevents the satisfactory performance of duty OR the condition is not remediable, OR a remedial treatment is refused, OR ongoing specialty follow-up is required more than annually.	X	X	X	X	X	X	X	X	Note: Carcinoma-in-situ of the cervix which have been adequately excised as evidenced by pathology report are exempted from Tumor Board Action and do not require MEB.
O5	Ganglion neuroma or meningeal fibroblastoma when the brain is involved.	X	X	X	X	X	X	X	X	
O6	Malignancies. History or presence of malignant tumor, cyst or cancer of any sort. Childhood malignancy considered cured may be considered for waiver on a case-by-case basis.		X	X	X				X	Basal cell and squamous cell carcinomas and carcinoma-in-situ of the cervix which have been adequately excised (as evidenced by pathology report, or basal cell carcinoma which have been treated by electrodesiccation and curettage by a dermatologist credentialed to perform this procedure), are exempted from tumor board action, but are reported to tumor registry, and are not disqualifying. See <a href="#">AMWG</a> .

		"X" = Standard applies							Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	
	<b>Tumor and Malignancy Disqualifying Conditions</b>								<a href="#">AMWG</a>
O7	Benign tumors which interfere with function or the wear of life support or other required equipment, and tumors which are likely to enlarge or be subjected to trauma during military service or show malignant potential.		X	X	X				<a href="#">See AMWG</a>

[RETURN TO TABLE OF CONTENTS](#)

## Section P: Skin USAF Medical Standards

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).

Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).

SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
<b>Dermatologic Disqualifying Conditions</b>										
P1	Acne, severe, unresponsive to treatment, and interfering with the satisfactory performance of duty or wear of the uniform or use of military equipment.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
P2	Atopic dermatitis or chronic eczema, severe or requiring frequent absence from duty or duty limitation or when there are repeated exacerbations despite adequate treatment.	X	X	X	X	X	X	X	X	
P3	Atopic dermatitis or eczema that requires chronic topical steroids for control.		X	X	X				X	<a href="#">See AMWG</a>
P4	Verified history after age 8-12 of atopic dermatitis and/or eczema, <del>and/or psoriasis.</del>		X						X*	<a href="#">See AMWG</a> *Excludes non jumping GBO SWA. Modified 27 Feb 2020.
P5	Cysts and tumors.	X	X	X	X	X	X	X	X	Refer to <a href="#">Section O</a> .
P6	Dermatitis herpetiformis, which fails to respond to therapy.	X	X	X	X	X	X	X	X	
P7	Any dermatitis herpetiformis.		X	X	X				X	
P8	Elephantiasis or chronic lymphedema, not responsive to treatment.	X	X	X	X	X	X	X	X	
P9	Epidermolysis bullosa.	X	X	X	X	X	X	X	X	
P10	Erythema multiforme, severe, and chronic or recurrent.	X	X	X	X	X	X	X	X	
P11	Exfoliative dermatitis, chronic.	X	X	X	X	X	X	X	X	
P12	Fungus infections, superficial, if not responsive to therapy and resulting in frequent absences from duty.	X	X	X	X	X	X	X	X	
P13	Fungal infections of the skin, systemic or superficial, that interfere with duty performance or the wear of life support equipment.		X	X	X				X	
P14	Furunculosis, which is extensive, recurrent or chronic.		X	X	X				X	
P15	Hidradenitis suppurativa and folliculitis decalvans.	X	X	X	X	X	X	X	X	
P16	Hyperhidrosis, when severe enough to interfere with performance of duties or wear of PPE, or complicated by a dermatitis/infection (fungal or bacterial), and not amenable to treatment.	X	X*	X*	X*	X*	X	X	X	* Requires ACS review if treated with other than topical means. No waiver guide exists.

		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
Dermatologic Disqualifying Conditions										
P17	Hyperhidrosis, when requiring escalation of therapies beyond topical antiperspirants (except BoTox for axillary hyperhidrosis only) or when severity could interfere with performance of flying duties.		X*	X*	X*				X	* Requires ACS review if treated with other than topical means, except axillary hyperhidrosis treated by BoTox, which is approved without waiver. See Aircrew Medication list. No waiver guide exists.
P18	Leukemia cutis and mycosis fungoides.	X	X	X	X	X	X	X	X	
P19	Lichen planus, generalized and not responsive to treatment.	X	X	X	X	X	X	X	X	
P20	Any degree of lichen planus.		X	X	X				X	
P21	Lupus erythematosus.	X	X	X	X	X	X	X	X	See <a href="#">A13</a>
P22	Neurofibromatosis, if disfigurement is extensive or when associated with manifestation or other organ system involvement.	X	X	X	X	X	X	X	X	
P23	Neurofibromatosis.		X	X	X				X	
P24	Pemphigus.	X	X	X	X	X	X	X	X	
P25	Photodermatosis, unless due to medication.		X	X	X				X	
P26	History of photosensitivity, including, but not limited to any primary sun-sensitive condition, such as polymorphous light eruption or solar urticaria or any dermatosis aggravated by sunlight, such as lupus erythematosus, is disqualifying.	X	X	X	X	X	X	X	X	
P27	Psoriasis or parapsoriasis, and not controlled by treatment OR controllable only with systemic meds or UV light therapy.	X	X	X	X	X	X	X	X	
P28	Psoriasis.		X	X	X				X	See <a href="#">AMWG</a>
P29	Pilonidal cyst, if there is a history of inflammation or discharging sinus in the 2 years preceding examination. Surgery for pilonidal cyst or sinus is disqualifying until the wound is healed, there are no referable symptoms, and no further treatment or medication is required.		X	X	X				X	
P30	Radiodermatitis, if resulting in malignant degeneration at a site not amenable to treatment.	X	X	X	X	X	X	X	X	
P31	Scars and keloids, so extensive they seriously interfere with the function of the body area, muscle movement, or they interfere with proper fit and wear of military equipment; inclusive of, but not limited to, life support equipment, personal protective equipment or any other equipment necessary for performing military duties, or show a tendency to breakdown.	X	X	X	X	X	X	X	X	

		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
Dermatologic Disqualifying Conditions										
P32	Scleroderma.		X	X	X				X	See <a href="#">A18</a> for retention standards.
P33	Tuberculosis of the skin, if not responsive to therapy.	X	X	X	X	X	X	X	X	<a href="#">Refer to tumors and malignancies tab.</a>
P34	Ulcers of the skin, not responsive to treatment after an appropriate period of time or if they result in frequent absences from duty.	X	X	X	X	X	X	X	X	
P35	Urticaria or angioedema, chronic, severe, and not amenable to treatment.	X	X	X	X	X	X	X	X	<a href="#">See AMWG</a>
P36	Urticaria or angioedema, chronic.		X	X	X				X	<a href="#">See AMWG</a>
P37	Xanthoma, if symptomatic, or accompanied by hypercholesterolemia or hyperlipoproteinemia.		X	X	X				X	
P38	Other skin diseases, if chronic or of a nature that requires frequent specialty medical care or interferes with the satisfactory performance of military duty.	X	X	X	X	X	X	X	X	For Flyers/SOD: severe enough to cause recurrent grounding from flying duties.

[RETURN TO TABLE OF CONTENTS](#)

## Section Q: Psychiatry and Mental Health

Special Warfare Airmen (1Z1X1, 1Z2X1, 1Z3X1, 1Z4X1, 13DCX, 13DX, 13LX): Continued service must meet AF SWA standards. In addition, initial exams need to meet interservice school requirements (SSR).

Ground Based Operator (GBO): RPA Pilot, RPA Sensor Operator, Missile Operator (MOD).

SERE: Must meet Special Warfare Airmen requirements. Also must meet Army Jump Standard requirements to attend school. [SSR PAGE](#)

Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
Q1	Mental disorders causing, or expected to cause, persistent duty impairment greater than one year or requiring recurrent duty limitations. (See <a href="#">Note 1</a> below).	X	X	X	X	X	X	X	X	See <a href="#">Note 1</a> ; for ARC members, also See <a href="#">Note 2</a> .
Q2	Mental disorders resulting in recurrent hospitalizations.	X	X	X	X	X	X	X	X	See <a href="#">Note 1</a> ; for ARC members, also See <a href="#">Note 2</a> .
Q3	Mental disorders which REQUIRE continuing mental health support (e.g. weekly psychotherapy in order to perform their duty) beyond one year.	X	X	X	X	X	X	X	X	See <a href="#">Note 1</a> ; for ARC members, also See <a href="#">Note 2</a> .
Q4	Mental disorders requiring psychoactive medications beyond one year, when an appropriately licensed mental health provider is needed to manage those medications.	X	X	X	X	X	X	X	X	See <a href="#">Note 1</a> , ARC members, also see <a href="#">Note 2</a> . An appropriately licensed mental health provider whom is needed to help manage medications may include a psychiatrist, a prescribing clinical psychologist, or a psychiatric nurse practitioner.
Q5	Mental disorders requiring use of lithium, anticonvulsants, or antipsychotics beyond 6 months.	X	X	X	X	X	X	X	X	See <a href="#">Note 1</a> ; for ARC members, also See <a href="#">Note 2</a> .
Q6	Mental disorders that preclude satisfactory performance of duty or worldwide assignability or deployment that are not considered unsuited IAW <a href="#">DoDI 1332.18</a> . (Suicide attempt to be addressed per comments section.)	X	X	X	X	X	X	X	X	Substance abuse <a href="#">Q31</a> and <a href="#">Q32</a> . Suicide attempts also See <a href="#">Q36</a> . See <a href="#">Note 1</a> , <a href="#">Note 3</a> , and <a href="#">AMWG</a> ; for ARC members, also See <a href="#">Note 2</a> . See AFI 36-3208 for other unsuitable conditions.
Q7	Neurodevelopmental Disorders, (learning, communication, Attention-deficit/hyperactivity disorder etc.), if the disorder is currently (or has a history of) compromising military duty or training.		X	X	X	X	X	X	X	See <a href="#">Note 1</a> and <a href="#">Note 4</a> .
Q8	History of Neurodevelopmental Disorders ( <a href="#">Q7</a> ) IF in the last 4 years member was diagnosed, or received treatment, or had special accommodations made for job or academic performance.		X	X	X	X	X	X	X	For Retention See <a href="#">Note 4</a> below. <a href="#">See AMWG</a> for Attention-deficit/hyperactivity disorder or Learning Disorder.
Q9	Schizophrenia Spectrum and Other Psychotic Disorders (to include a psychotic episode) under the current edition of DSM.	X	X	X	X	X	X	X	X	
Q10	History of Schizophrenia in both parents.		X						X	See <a href="#">AMWG</a>

Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
Q11	Bipolar and Related Disorders, to include current or history of a manic episode as defined in the current edition of DSM.	X	X	X	X	X	X	X	X	
Q12	History of Bipolar Disorder in both parents.		X						X	See <a href="#">AMWG</a>
Q13	Depressive Disorders, (MDD, Persistent Depressive Disorder, Premenstrual Dysphoric Disorder, etc.) meeting any general criteria listed in <a href="#">Q1-Q6</a> .	X	X	X	X	X	X	X	X	ANG, See <a href="#">Note 2</a> .
Q14	Current or history of Depressive Disorders (MDD, Persistent Depressive Disorder, Premenstrual Dysphoric Disorder, etc.).		X	X	X	X	X	X	X	
Q15	Anxiety Disorders, meeting any general criteria listed in <a href="#">Q1-Q6</a> .	X <sup>1</sup>	X*	X*	X*	X*	X*	X*	X	ANG, See <a href="#">Note 2</a> . X <sup>1</sup> See <a href="#">Note 1</a> , <a href="#">Note 5</a> . X* See <a href="#">Note 6</a> for Fear of Flying.
Q16	Current or history of Anxiety Disorders.		X	X	X	X	X	X	X	GBO & Ops support: Specifically ensure no Claustrophobia history.
Q18	Obsessive-Compulsive and Related Disorders, meeting any general criteria listed in <a href="#">Q1-Q6</a> .	X	X	X	X	X	X	X	X	
Q19	Current or history of Obsessive-Compulsive and Related Disorder.		X	X	X	X	X	X	X	
Q20	Trauma and Stressor Related Disorders (including adjustment disorders lasting 6 months or greater), meeting any general criteria listed in <a href="#">Q1-Q6</a> .	X	X	X	X	X	X	X	X	See <a href="#">Note 1</a> .
Q21	History of any adjustment disorder or other trauma or stressor related disorder is disqualifying for all initial special duty qualifications if any of the following apply: lasted greater than 60 days, level of care higher than weekly outpatient (inpatient, partial hospitalization, intensive outpatient program), recurrent, or any current diagnosis if symptoms not resolved.		X	X	X	X	X	X	X	See <a href="#">Note 7</a> , See <a href="#">Q2</a> .
Q22	Trauma and Stressor Related Disorders (e.g. Acute Stress Disorder, Posttraumatic Stress Disorder, Adjustment Disorder), when symptoms result in DOWN greater than 60 days, or IF, after treatment, disorder recurs with exposure to the operational/trigger environment. (Mild residual symptoms <b>not resulting in a disorder diagnosis</b> , without risk to mission, member or safety of flight, are acceptable.)		X	X	X	X	X	X	X	
Q23	Dissociative Disorders, meeting any general criteria listed in <a href="#">Q1-Q6</a> .	X	X	X	X	X	X	X	X	
Q24	Current or history of dissociative disorders.		X	X	X	X	X	X	X	
Q25	Somatic Symptom and Related Disorders, meeting any general criteria listed in <a href="#">Q1-Q6</a> .	X	X	X	X	X	X	X	X	Factitious Disorder – See <a href="#">Note 1</a> .
Q26	Current or history of Somatic Symptom and Related Disorders.		X	X	X	X	X	X	X	
Q27	Feeding and Eating, and Elimination Disorders, meeting any general criteria listed in <a href="#">Q1-Q6</a> .	X	X	X	X	X	X	X	X	Enuresis, See <a href="#">Note 1</a> .

Disqualifying Conditions		"X" = Standard applies								Comments
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty	Special Warfare Airmen (SWA)	
Q28	Current or history of Feeding and Eating, and Elimination Disorders after age 12.		X	X	X	X	X	X	X	
Q29	Disruptive, Impulse-Control and Conduct Disorders, current or history of after age 12.		X	X	X	X	X	X	X	See <a href="#">Note 1</a> .
Q30	Substance Related and Addictive Disorders, current or history of.		X	X	X	X	X	X	X	See <a href="#">Note 1</a> .
Q31	Medical complications of an alcohol or substance use disorder (such as but not limited to bleeding varices, cirrhosis, persistent hallucinosis) require preliminary DAWG review and I-RILO (Fitness for duty for ARC) processing when the medical complication calls into question the continued ability of the Airman to meet retention standards.	X	X	X	X	X	X	X	X	If doing an MEB for the sequelae of substance use, the history of the substance use/disorder must also be fully written up and submitted as part of the NARSUM. <a href="#">See Note 8</a> .
Q32	Neurocognitive Disorders (Delirium, Dementia, and Amnesic Disorders, and Other Cognitive Disorders).	X	X	X	X	X	X	X	X	See <a href="#">NEURO Section</a> and <a href="#">Note 1</a>
Q33	Personality Disorders.		X	X	X	X	X	X	X	See <a href="#">Note 1</a> .
Q34	Sexual Dysfunctions, Sexual/Gender Identity Disorders (including Gender Dysphoria) and Paraphilic Disorders.	X*	X	X	X	X	X	X	X	See <a href="#">Note 1</a> . *For retention, identifying as gender non-conforming or transgender is not automatically disqualifying from continued service if there is no duty impact. Coordinate with their commander to determine if the condition does not meet unfitting condition standards and may require administrative evaluation. Members diagnosed with Gender Dysphoria, with or without hormonal or surgical treatment, will require an IRILO. Those deemed medically stable will be returned to duty with an ALC to ensure assignments/deployments do not occur where the member does not have adequate medical support.
Disqualifying Conditions (Miscellaneous Criteria and Consideration)										



		"X" = Standard applies							Comments	
		Retention	Flying Class I/IA	Flying Class II	Flying Class III	Air Traffic Controller (ATC)	Ground Based Operator (GBO)	Operational Support Flying Duty		Special Warfare Airmen (SWA)
Disqualifying Conditions										
Q35	Adaptability Rating for Military Aviation - Unsatisfactory ARMA/AR-ATC/AR-MOD/AR-RPA/AR-SWA for applicant's crew position. Maladaptive personality traits (not meeting diagnostic criteria for a personality disorder), or a pattern of maladaptive behavior that significantly interferes with safety of flight, crew coordination, or mission completion. In the absence of maladaptive personality adjustment, traits, or behavior patterns, motivational issues are managed administratively and the AR must be rated satisfactory.		X	X	X	X	X	X	X	See ARMA on KX
Q36	History of attempted suicide or suicidal behavior.		X	X	X	X	X	X	X	See <a href="#">AMWG</a> . See <a href="#">Q6</a> . For suicide attempts by ARC members See <a href="#">Note 3</a> .
Q37	Other Conditions that are a focus of clinical attention (V Code problems) when they result in DOWN, or generate a DLC lasting greater than 60 days.		X	X	X	X	X	X	X	

## Section Q: Psychiatry and Mental Health Notes:

**Note 1:** Preliminary DAWG review and I-RILO are indicated in those instances where a mental disorder, which may be considered a disability by the SECDEF, precludes satisfactory performance of duty, worldwide assignability or deployment. Other mental health diagnoses, not considered disabilities by the SECDEF, can make an Airman potentially unsuitable for further military service and subject to administrative separation. Potentially unsuited mental health diagnoses and conditions are listed in [AFI 36-3208](#). Incapacity because of disability (i.e., potentially unfit for duty) must be distinguished from lack of motivation or underlying personality disorder, etc. (i.e. potentially unsuitable for duty). Potentially unsuited mental health diagnoses, when present with potentially unfitting mental disorders can clearly worsen overall impairment and prognosis (e.g. personality disorder and depressive disorder). In cases where more than one mental disorder is present, and the primary source of impairment for military duty cannot be readily determined, the default pathway is for preliminary DAWG review and I-RILO processing. If a potentially unfitting mental disorder is present while an Airman is pending administrative separation, the Airman's commander contacts the local MPF and Staff Judge Advocate for specific guidance. Also see Note 3, below. Airmen who are eligible for "legacy" disability evaluation (versus Integrated Disability Evaluation system processing) will follow applicable procedures to accomplish.

**Note 2:** For ARC: No additional specific criteria beyond Q1-37. However, mental health diagnoses require annual DAWG review, to include review of all interval clinical documentation. Either new/Initial RILO or Military Mental Health Evaluation is required when:

- there is any ambiguity regarding potential duty impairment or risk for recurrence/exacerbation in military environment.
- member has VA disability rating for mental health diagnosis but current clinical status & world-wide qualification is not well-established.

Following DAWG review and/or MMHE, initial RILO will be required for members who are clearly identified as having a potentially disqualifying condition IAW Q1-37. Any questionable cases should also be referred to appropriate ARC/SG for determination.

**Note 3:** Following any active duty suicide attempt, the MTF SGH will lead a meeting to review the case and determine the medical disposition of the individual; this meeting must include at least one mental health provider. An active duty Airman with a potentially unfitting diagnosis will meet a preliminary DAWG review. For suicide attempts by ARC members, a fitness for duty determination will be instituted.

**Note 4:** Individuals diagnosed with Attention-deficit/hyperactivity disorder (ADHD) must be carefully evaluated for suitability for continued service. This condition is not considered a disability by the SECDEF and may be managed administratively IAW [AFI 36-3208](#). If treatment with medication is required for adequate duty performance, referral to the unit commander for determination of administrative disposition is appropriate. Use of psychostimulants solely to optimize cognitive performance is strictly prohibited. If the service member does not require treatment with medication for adequate duty performance, the member remains suited for continued military service. The commander may seek administrative separation based on impaired performance. In rare circumstances, the commander may request waiver consideration to allow for continued duty if the value to the unit outweighs risks of requiring medication. This policy does not apply to operational "Go Pill" use.

**Note 5:** Specific Phobia to Flying requires appropriate mental health evaluation and treatment. High cure rates are expected. If it is not amenable to treatment and it is of sufficient magnitude to preclude military air transportation, it is dealt with administratively.

**Note 6:** "Fear of Flying" or "manifestation of apprehension" are line terms used when a trained or untrained aviator refuses to fly or exhibits a "reluctance to fly". The aviator may present with medical/psychological reasons for not flying. If no mental disorder is found and medical causes are ruled out the disposition is handled administratively by the command, and is not a medical DQ. Great care must be exercised to distinguish a Specific Phobia to Flying (a highly treatable mental health disorder) from a "fear of flying" which is a rational and/or motivational decision to limit risk. ACS Neuropsych available to help make distinction.

**Note 7:** Disorders due to a traumatic occupational stressor should be considered temporary and the individual should be allowed to perform their duties to the fullest extent possible (without risk to mission, member or safety of flight). Therapy with occupational exposure to the stressor is first line therapy for many of these disorders. Mild symptoms without risk to mission, member or safety of flight do not require duty restriction.

**Note 8:** When preparing a narrative summary (NARSUM) for the sequelae of substance use, the history of the substance use/disorder must also be fully written up and submitted as a separate MH NARSUM appended to the medical NARSUM. Airmen with a medical complication due to alcohol use disorder cannot be administratively separated without preliminary DAWG review and I-RILO processing. [See Q31.](#)

## Section R: USAF Medical Serial Profile Annotation

	1	2	3	4
<b>P: Physical Condition</b>	Free of any identified organic defect or systemic disease.	Presence of stable, minimally significant organic defect(s) or systemic diseases(s). Capable of all basic work commensurate with grade and position. May be used to identify minor conditions that might limit some deployments to specific locations.	Significant defect(s) or disease(s) under good control. Capable of all basic work commensurate with grade and position.	Organic defect, systemic or infectious disease which requires, or is currently undergoing, an MEB or I-RILO as determined by the Deployment Availability Working Group (DAWG).
<b>U: Upper Extremities</b>	Bones, joints, and muscles normal. Able to do hand-to-hand fighting.	Slightly limited mobility of joints, mild muscular weakness or other musculoskeletal defects that do not prevent hand-to-hand fighting and are compatible with prolonged effort. Capable of all basic work commensurate with grade and position.	Defect(s) causing moderate interference with function, yet capable of strong effort for short periods. Capable of all basic work commensurate with grade and position.	Severely compromised strength, range of motion, or general efficiency of the hand, arm, shoulder girdle, or back (includes cervical and thoracic spine) which requires, or is currently undergoing, an MEB or I-RILO as determined by the DAWG.
<b>L: Lower Extremities</b>	Bones, muscles, and joints normal. Capable of performing long marches, continuous standing, running, climbing, and digging without limitation.	Slightly limited mobility of joints, mild muscular weakness, or other musculoskeletal defects that do not prevent moderate marching, climbing, running, digging, or prolonged effort. Capable of all basic work commensurate with grade and position.	Defect(s) causing moderate interference with function, yet capable of strong effort for short periods. Capable of all basic work commensurate with grade and position.	Severely compromised strength, range of motion, or efficiency of the feet, legs, pelvic girdle, lower back, or lumbar vertebrae which requires, or is currently undergoing, an MEB or I-RILO as determined by the DAWG.
<b>H: Hearing (Ears).</b> <a href="#">See Hearing Section for Hearing Profile.</a>				
<b>E: Vision (Eyes)</b>	Minimum vision of 20/200 correctable to 20/20 in each eye.	Vision correctable to 20/40 in one eye and 20/70 in the other, or 20/30 in one eye and 20/200 in the other eye, or 20/20 in one eye and 20/400 in the other eye.	Vision that is worse than E-2 profile.	Visual defects worse than E-3 which requires, or is currently undergoing, an MEB or I-RILO as determined by the DAWG.
<b>S: Psychiatric Stability</b>	Diagnosis or treatment results in no impairment or potential impairment of duty function, risk to the mission or ability to maintain security clearance.	World Wide Qualified and diagnosis or treatment result in low risk of impairment or potential impairment that necessitates command consideration of changing or limiting duties.	World Wide Qualified and diagnosis or treatment result in medium risk due to potential impairment of duty function, risk to the mission or ability to maintain security clearance.	Diagnosis or treatment resulting in high to extremely high risk to the AF or patient due to potential impairment of duty function, risk to the mission or ability to maintain security clearance which requires, or is currently undergoing, an MEB or I-RILO as determined by the DAWG.

[RETURN TO TABLE OF CONTENTS](#)

## Section T: USAF Medical Standards for Weight and Anthropometrics

		"X" = Standard applies				Comments
		Flying Class I/IA	Flying Class II	Flying Class III	Special Warfare Airmen (SWA)	
<b>Weight and Anthropometric</b>						
T1	Height requirements vary by operational platform. An anthropometric screening process will be used to identify platforms which meet safety and functional criteria for FCI, FCIA, and FCII heights less than 64 inches or more than 77 inches.	X				<a href="#">See AMWG</a>
T2	Height less than 64 inches or more than 77 inches.		X	X	X*	*SWA need to meet MFF height standards: 60 to 80 inches for males; 58 to 80 inches for females. Waiver potential exists.
T3	Minimum functional reach for aeromedical evacuation duties is 76 inches, regardless of height.			*		*Initial FC III for 1AXX1, 46FX and 4N0XX (Aeromedical Evacuation Technician only).
T4	Sitting height requirements vary by operational platform. An anthropometric screening process will be used to identify platforms which meet safety and functional criteria for FCI, FCIA, and FCII sitting heights less than 33 inches or more than 40 inches.	X				
T5	IFCII (FS) Sitting height greater than 40 inches or less than 33 inches.		X			
T6	FCI Buttock to knee measurement no greater than 27 inches. (FCI or FCII no greater than 26.7 inches for A-10 aircraft only.)	X				
T7	For initial qualification members must meet fitness standards IAW <a href="#">AFI 36-2905, Fitness Program</a> .	X	X	X	X	Same applies to retention standards.
T8	Additional standard applies for duties in ejection seat aircraft; in no case may weight be less than 103 lbs or greater than 240 lbs for T-38 and 245 lbs for all other ejection seat aircraft. Weights are unclothed (nude) body weight. Note: For UPT students, fighter-track UNT students and trained ejection seat aircrew identified outside of the weight for ejection seat standard, notify Squadron/CC via AF Form 1042 (or DD Form 2992) and/or AF Form 469 action.	X	X	X		
T9	For trained personnel in ejection seat aircraft. Weight may not be less than 103 lbs or greater than 240 lbs for T-38 and 245 lbs for all other ejection seat aircraft. Weights are unclothed (nude) body weight.		X	X		
T10	Any aircrew member assigned to ejection seat aircraft who has failed to attain/maintain weight within the ejection seat standard will be placed DOWN and referred to the Squadron/CC for appropriate administrative action.		X	X		

[RETURN TO TABLE OF CONTENTS](#)

## **Section U: Small Unmanned Aircraft System Operator Medical Standards (SUAS-O)**

The following are the minimum medical standards for SUAS-O Group 2 & 3. A SUAS is defined by AF/A3.

U3. SUAS-O must have intact color vision determined by passing CCT with 55 or above. “Passed by record” is adequate if the member has a documented passing CCT result, unless there is a clinical indication for retesting.

U4. SUAS-O must have distant and near visual acuity correctable to 20/20 OU or better.

U5. SUAS-O must have no medical condition present which may incapacitate an individual suddenly or without warning.

U6. Personnel may not perform SUAS-O duty while using any medication whose known common adverse effect or intended action(s) affect alertness, judgment, cognition, special sensory function or coordination. This includes both over the counter and prescription medications.

U7. SUAS-O personnel require INITIAL certification for SUAS duties. This is documented on AF Form 422.

Do not use PEPP or DD Form 2992 for selection, grounding, or duty limitations. Duty restrictions for these members will be managed on AF Form 469.

If a SUAS-O does not meet above vision standards, decision on employment for SUAS-O duty is with the operational commander. Medical waiver is not required

Commercial Off The Shelf (COTS) systems and Group 1 SUAS are excluded from [Section U](#).

For contract SUAS-O, medical management will be accomplished in accordance with the individual operator’s contract.

[RETURN TO TABLE OF CONTENTS](#)

## **Section V: USAF Specific Deployment Standards**

In addition to the general DoD deployment criteria listed in [DoDI 6490.07](#), *Deployment-Limiting Medical Conditions for Service Members and DoD Civilian Employees*, the following criteria must be met in order for USAF members to be considered deployable. Please refer to AFI 48-123 prior to reviewing the additional criteria below. Additional requirements may be required for specific deployments; See COCOM reporting instructions.

- V1. Must be able to perform duties of AFSC for a prolonged period (at least 12 hours).
- V2. Must have adequate night vision to be able to travel unassisted at night.
- V3. At a minimum must be able to carry all required deployment baggage (at least 40 lbs) and additional requirements for duty or deployment AFSC.
- V4. Must be able to run at least 100 yards to take cover.
- V5. Must be able to subsist on field rations for up to 179 days.
- V6. Must be able to perform duties in hot and cold environments, without any known predisposition to heat or cold injury.

Note: [DoDI 6490.07](#) E3.a.(2) states “Conditions that prohibit immunizations” is a medical condition precluding deployment and requires a waiver.

[RETURN TO TABLE OF CONTENTS](#)